INDEX TO VOLUME 14

AUTHOR INDEX

* Original article.
† Abstract of paper presented at the Thirty-sixth Annual Meeting of the Endocrine Society.

ABELOVE, W. A.; RUPP, J. J., and PASCHKIS, K. E.: Acromegaly and pregnancy, 32*
——, *see* PASCHKIS, K. E., 837†
ABU-HAYDAR, N.; LAIDLAW, J. C.; NUSIMOVICH, B., and STURGIS, S.: Hyperadrenocorticism and the Stein-Leventhal syndrome, 766†
AGARWAL, S., *see* TIMIRAS, P. S., 803†
ALBERT, A., *see* PARIS, J., 597*
——, *see* Questions & Answers, 591
ALBRIGHT, F., *see* BENEDICT, P. H., 765†
——, *see* FORBES, A. P., 265*
——, *see* HENNEMAN, P. H., 776†
——, *see* KINSELL, L., 897*
——, *see* Questions & Answers, 484
ALLEN, W. M., *see* Questions & Answers, 128
ANDRADE, J., *see* MANCINI, R. E., 818†
ARCADI, J. A.: Role of the ground substance in atrophy of normal and malignant prostatic tissue following estrogen administration and orchiectomy, 1113*
ARCHIBALD, R. M.: Laboratory procedures for clinical endocrinologists (Editorial), 353*
——, *see* Questions & Answers, 761
ARENDT, E. C., and PATTEE, C. J.: Effect of ascorbic acid on insulin-glucose tolerance and lactic-pyruvic acid ratio in obesity, 836†
ARNOLD, A.: Effects of x-irradiation on the hypothalamus; a possible explanation for the therapeutic benefits following x-irradiation of the hypophysial region for pituitary dysfunction, 859*
ASSALI, N. S., and HAMERMESZ, J.: Adrenocorticotropic substances from human placenta, 781†
ATTIE, J., *see* PERLMUTTER, M., 672*
AXELRAD, B. J.; JOHNSON, B. B., and LUETSCHER, J. A.: Factors regulating the output of sodium-retaining corticoid of human urine, 783†
——, *see* JOHNSON, B. B., 813†
——, *see* LUETSCHER, J. A., 812† 1086*

BACCHUS, H.: Ascorbic acid and urinary steroid excretion (Letter to the Editor), 744*
BAKER, C., *see* MICHAELS, G. D., 833†
BAKKE, J. L., and LAWRENCE, N.: The metabolism of inorganic iodide in thyroid slices, with delineation of a new iodide compartment, 771†
BALCH, H. E., *see* COCHRANE, G. C., 832†
——, *see* KINSELL, L. W. 110*, 161*, 790†
BARNES, L., *see* MERRYMAN, W., 1567*
BAROL, S. R., *see* LUKENS, F. D. W., 248*
BARRACLOUGH, C. A., and SAWYER, C. H.: Suppression of ovulation in the rat by morphine, 765†
BARTELS, E. C., and KOHN, M. M.: Large doses of propylthiouracil in the treatment of hyperthyroidism, 1403*
BARTON, R. C., *see* NEAL, L. M., 792†
BARTTER, F. C.: The renal action of the parathyroids, 826†
——, *see* LIDDLE, G. W., 813†
BASERGA, R., *see* ZIMMERMAN, L. M., 1367*
BASS, D. F., *see* KLEEMAN, C. R., 1126*
BASSETT, S. H., *see* GOLDMAN, R., 278*
BATTS, A. A.: Influence of growth hormone (GH) on the excretion of water and electrolytes, 835†
——, *see* BENNETT, L. L., 791†
BAUER, H. G.: Endocrine and other clinical manifestations of hypothalamic disease. A survey of 60 cases, with autopsies, 13*
BEAHRS, O. H., *see* LEV, R., 1355*
BECK, J. C.; BROWNE, J. S. L., and MACKENZIE, K. R.: Effect of adrenocorticotropic hormone and cortisone acetate on the urinary and blood levels of ascorbic acid in man, 1006*
BECKA, D. R., *see* CONDON, J. V., 1511*
BECKER, D. V.; WOODS, L. A.; DUBOIS, K. F., and PRUDDEN, J. F.: Metabolism of I^{131}-labeled thyroxine by an isolated perfused rabbit liver, 803†
BEIERWALTES, W. H.: Incomplete growth associated with hypothyroidism (Teaching Clinic), 1551*

——, and BISHOP, R. C.: 17-Ketosteroid and pituitary follicle-stimulating hormone excretion in myxedema, before and during treatment with thyroxine, 928*
BIEGELAMN, P. M., *see* GOLDFEIN, A., 782†
BENEDICT, P. H., and ALBRIGHT, F.: Amenorrhea with normal follicle-stimulating hormones (FSH): follow-up report of 60 cases, 765†
BENNETT, L. L.; SUTHERLAND, J. H. R., and BATTS, A. A.: Some effects of growth hormone on the structure and function of the islets of Langerhans, 791†
BENUA, R. S., *see* MUELLER, R., 1287*
BERARDINELLI, W.: An undiagnosed endocrinometabolic syndrome; report of 2 cases, 193*
BERN, H. A.; HARKNESS, D. R., and BLAIR, S. M.: Studies of vaginal keratinization with the aid of radiocystine, 797†
BERSON, S. (with YALOW, R. S.): Recipient of First Honorable Mention, 1954 Van Meter Prize of the American Goiter Association, 1458
BIGLER, R.; SALHANICK, H. A., and DOUGHERTY, T. F.: The histochemical reaction of connective tissue after the local administration of adrenal steroids, 817†
BISHOP, R. C., *aee* BEIERWALTES, W. H., 928*
BLAIR, S. M., *see* BERN, H. A., 797†
BLISS, E. L.; NELSON, D. H., and SAMUELS, L. T.: Effects of intravenous ACTH on blood levels of 17-hydroxycorticosteroids and circulating leukocytes, 423*
BLIVAISS, B. B.; HANSON, R. O.; ROSENZWEIG, R. E., and MCNIEL, K.: Sexual development in cortisone-treated female rats, 821†
BLOODWORTH, J. M. B.; KIRKENDALL, W. M., and CARR, T. L.: Addison's disease associated with thyroid insufficiency and atrophy (Schmidt syndrome), 540*
BÖE, J., and GABRIELSEN, Z.: Antithyroid drugs plus roentgen irradiation in the treatment of hyperthyroidism, 939*
BOGDANOVE, E. M., *see* SPIRTOS, B. N., 790†
BOIMAN, R., *see* MERRYMAN, W., 1567*
BOLING, L., *see* KINSELL, L. W., 161*
BONGIOVANNI, A. M.: Detection of corticoid conjugates in human blood (Letter to the Editor), 341*
——: Partial characterization of C-21 steroids in the urine of patients with the adrenogenital syndrome, 778†
——; EBERLEIN, W. R., and CARA, J.: Studies on the metabolism of adrenal steroids in the adrenogenital syndrome, 409*
——, *see* CLAYTON, G. W., 815†
BOOKER, W. M.; TUREMAN, J. R.; DACOSTA, F.; POULSON, J., and MITCHELL, S.: Metabolic relation of ascorbic acid, glutathione and adrenocortical hormone in survival of mice during cold stress, 819†
BOOY, C. J., *see* OVERBEEK, G. A., 681*
BOSS, W. R., *see* GLITZER, M. S., 835†
BOTKIN, A. L.; ESKELSON, C. D.; FIRSHEIM, H. E., and JENSEN, H.: *In vitro* studies of the intact thyroid gland, 1219*
BOWERS, J. Z., *see* FRENCH, A. B., 816†
BOWMAN, B. J., *see* STAFFORD, R. O., 799†
BOWMAN, W. E., *see* TRUNNELL, J. B., 796†
BRADBURY, J. T., and SLATE, W. G.: A case of adrenal hyperplasia with unusual findings, 810†
BRADWICK, K., *see* LLOYD, C. W., 788†
BRAUSCH, C. C., *see* MUELLER, R., 1287*
BRICKER, N. S., *see* HLAD, C. J., 1539*
BRIGGS, F. N., and MUNSON, P. L.: Studies on the mechanism of stimulation of ACTH secretion: the blocking effect of morphine, 811†
BRILL, B. A., *see* KUMAGAI, L. F., 786†
BROWN, D. B., *see* HAMWI, G. J., 820†
BROWNE, J. S. L., *see* BECK, J. C., 997*
BROWNELL, G. L., *see* HICKEY, F. C., 1423*
——, *see* STANBURY, J. B., 1079*
BRYANT, D., *see* KINSELL, L., 897*
BULASCHENKO, H., *see* TOUCHSTONE, J. C., 676*
BUNDING, I., *see* LERNER, A. B., 1463*
BUR, G. E., *see* DE LA BALZE, F. A., 626*
BURGER, J., *see* KUPPERMAN, H. S., 810†
BURNETT, R.; RUKES, M.; KOLB, F., and FORSHAM, P. H.: Functional diagnosis of different states of adrenocortical hyperactivity, 775†
BURT, A. S.; REINER, L.; COHEN, R. B., and SNIFFEN, R. C.: Klinefelter's syndrome: report of an autopsy, with particular reference to the histology and histochemistry of the endocrine glands, 719*
——, and VELARDO, J. T.: Cytology of the human adenohypophysis as related to bioassays for tropic hormones, 979*
BUXTON, C. L., *see* Questions & Answers, 128, 357, 698, 1276
BYERS, C., *see* KLEIN, R., 815†

CALLISTER, P. S., *see* WOODBURY, D. M., 822†
CAPLAN, R., *see* VANDERLAAN, W. P., 232*
CARA, J., *see* BONGIOVANNI, A. M., 409*
——, *see* WILKINS, L., 287*
CARBALLEIRA, A., *see* VENNING, E. H., 784†
CARR, T. L., *see* BLOODWORTH, J. M. B., 540*
CARTER, A. C.; SHORR, E.; ROBERTS, T. N.; SONKIN, L. S.; HAVEL, R. J., and LIVINGSTONE, E. T.: Evaluation of diag-

nostic criteria in Cushing's syndrome, 775†
CATES, J. E., *see* JOHNSON, B. B., 813†
CATS, A., *see* QUERIDO, A., 681*
CATZ, B.; GEIGER, E.; THOMAS, H., and EL-RAWI, I.: Effect of insulin on the thyroid gland and its influence on heat regulation, 801†
CHANNICK, B., *see* NODINE, J. H., 773†
CHAPMAN, E. M.; MALOOF, F.; MAISTERRENA, J., and MARTIN, J. M.: Ten years' experience with radioactive iodide, 45*
CHEVALLEY, J.; MCGAVACK, T. H.; KENIGSBERG, S., and PEARSON, S.: A four-year study of the treatment of hyperthyroidism with methimazole, 948*
——, *see* MCGAVACK, T. H., 801†
CLARK, D. E., *see* LANDAU, R. L., 1097*
CLAYTON, G. W., and BONGIOVANNI, A. M.: Plasma 17-ketosteroids: an improved method for their extraction and determination, 815†
CLEGHORN, R. A., and PATTEE, C. J.: Psychologic changes in 3 cases of Addison's disease during treatment with cortisone (Teaching Clinic), 344*
COCHRANE, G. C.; FUKAYAMA, G.; MICHAELS, G. D.; BALCH, H. E., and KINSELL, L. W.: Further observations regarding the effects of pituitary growth hormone in human subjects, 832†
CODE, C. F., *see* MITCHELL, R. G., 707*
COERS, R. J., *see* DEN OUDSTEN, S. A., 680*
COHEN, A. M., and SULMAN, F. G.: Continuous intravenous ACTH infusion in small doses as a physiologic approach to treatment, 440*
COHEN, H.; KLEINBERG, W.; FREEDMAN, H. H., and MARTIN, G.: Activity of crude and purified ACTH in the presence of enzyme inhibitor, 807†
COHEN, R. B., *see* BURT, A. S., 719*
COHN, C., *see* WOLFSON, W. Q., 778†
COLE, R. D., *see* LYONS, W. R., 831†
CONDON, J. V.; BECKA, D. R., and GIBBS, F. A.: Electroencephalographic abnormalities in hyperthyroidism, 1511*
CONTOPOULOS, A. N.; ELLIS, S.; SIMPSON, M. E.; LAWRENCE, J. H., and EVANS, H. M.: Production of polycythemia in hypophysectomized rats by the pituitary erythropoietic factor, 831†
COPE, O., *see* MCDERMOTT, W. V., 1336*
CORCORAN, A. C., *see* DEL GRECO, F., 678*
CRAIGHEAD, J. E., *see* WOODBURY, D. M., 822†
CRILE, G., *see* FURR, W. E., 79*
CRISPELL, K. R.; PARSON, W., and SPRINKLE, P.: A cortisone-resistant abnormality in the diuretic response to ingested water in primary myxedema, 640*
CRITTENDEN, J. O., *see* ZACCO, M., 711*
CUNNINGHAM, R. M., *see* POCHIN, E. E., 1300*

DACOSTA, F., *see* BOOKER, W. M., 819†
DAILEY, M. E.; GORDAN, G. S.; HOGAN, M. J.; LOW-BEER, B. V. A., and NAFFZIGER, H. C.: Pituitary irradiation for bilateral progressive exophthalmos (Letter to the Editor), 673*
——, *see* LINDSAY, S., 1179*
DARNER, C. B., *see* GILLAM, J. S., 272*
DAVIS, P. L., *see* SHUMWAY, M., 742*
DE ALBUQUERQUE, D., *see* NODINE, J. H., 773†
DE ALVAREZ, R. R., *see* SMITH, E. K., 809†
DE LA BALZE, F. A.; BUR, G. E.; SCARPA-SMITH, F., and IRAZU, J.: Elastic fibers in the tunica propria of normal and pathologic human testes, 626*
——; MANCINI, R. E.; VILAR, O.; IRAZU, J., and NOLAZCO, J.: Study of collagen fibers in normal and pathologic human testes, 798†
——, *see* MANCINI, R. E., 818†
DEL GRECO, F.; CORCORAN, A. C., and PAGE, I. H.: Urinary corticoids in pheochromocytoma (Letter to the Editor), 678*
DEMOREST, H. L., *see* SCHUTZ, A. L., 1062*
DEN OUDSTEN, S. A.; VAN LEEUWEN, L., and COERS, R. J.: Corticotropin-zinc; clinical observations on an ACTH preparation with prolonged action (Letter to the Editor), 680*
DI RAIMONDO, V.; RINFRET, A.; ISLAND, D.' and FORSHAM, P. H.: An improved and simplified assay of corticotropin, utilizing normal male subjects, 807†
——, *see* ORR, R., 806†
DOBYNS, B. M., Recipient of 1954 Award of Merit of American Goiter Association, 1459
——, and WILSON, L. A.: An exophthalmos-producing substance in the serum of patients suffering from progressive exophthalmos, 1393*
——, *see* MUELLER, R., 1287*
DOE, R. P.; FLINK, E. B., and FLINT, M. G.: Correlation of diurnal variations in eosinophils and 17-hydroxycorticosteroids in plasma and urine, 774†
DOHAN, F. C., *see* TOUCHSTONE, J. C., 676*
——, *see* ZACCO, M., 711*
DOOLAN, P. D., *see* KYLE, L. H., 1029*
DORFMAN, A., *see* RUBIN, B. L., 154*
DORFMAN, R. I.: *In vivo* metabolism of neutral steroid hormones, 318*

——, *see* HAYANO, M., 780†
DOUGHERTY, T. F., *see* BIGLER, R., 817†
——, *see* KUMAGAI, L. F., 786†
DUBOIS, K. G., *see* BECKER, D. V., 803†
DUFFY, B. J., *see* FRAZELL, E. L., 1362*
DURBIN, P. W., *see* HAMILTON, J. G., 1161*
DYRENFURTH, I., *see* VENNING, E. H., 784†

EAGLE, J. F., and WOLFSON, W. G.: Human corticosterone metabolism, IV. Probable predominance of corticosterone in the adrenocortical secretion of premature infants, 816†
EBERLEIN, W. R., *see* BONGIOVANNI, A. M., 409*
ELIEL, L. P., and HEANEY, R. P.: Comparison of the effects of variations in amino-acid and carbohydrate intake on the metabolic response to cortisone acetate, 837†
——, *see* HEANEY, R. P., 829†
ELLIS, S., *see* CONTOPOULOS, A. N., 831†
EL-RAWI, I., *see* CATZ, B., 801†
ELY, R. S., and KELLEY, V. C.: Factors influencing adrenocortical function as studied in guinea pigs, 818†
ENGEL, F. L., and ENGEL, M. G.: Ketongenic activity of corticotropin in the rat, 792†
ENGEL, M. G., *see* ENGEL, F. L., 792†
ENGSTROM, W. W., and MARKARDT, B.: Influence of estrogen on thyroid function, 215*
ESCAMILLA, R. F.: Stimulation of growth in short children (Editorial), 255*
——: Value of a therapeutic trial with thyroid (Teaching Clinic), 118*
——, *see* LEVINGER, E. L., 788†
——, *see* WHITELAW, M. J., 794†
ESKELSON, C. D., *see* BOTKIN, A. L., 1219*
ESKRIDGE, J. B., *see* HELLBAUM, A. A., 763†
EVANS, G. T., *see* Questions & Answers, 260
EVANS, H. M., *see* CONTOPOULOS, A. N., 831†

FAIRBANKS, R., *see* WILSON, H., 814†
FARBER, E., *see* SEGALOFF, A., 787†
FARQUHAR, M. G., and RINEHART, J. F.: The fine structure of the anterior pituitary gland as revealed by electron microscopy, 786†
FARQUHARSON, R. F., *see* Questions & Answers, 1573
FARRELL, G. L., *see* SWEAT, M. L., 782†
FERIOZI, D., *see* LANDING, B. H., 910* 1023*
FINERTY, J. C., and PANOS, T. C.: Effect of hyper- and hypoadrenocortical function on young fat-deficient male rats, 823†
——, *see* PANOS, T. C., 802†
FINKLER, R. S.: Acromegaly and pregnancy; case report, 1245*
——, *see* KUPPERMAN, H. S., 810†
FIRSHEIM, H. E., *see* BOTKIN, A. L., 1219*
FISHMAN, J., *see* KURLAND, G. S., 572*
FISHMAN, W. H.: The kidney β-glucuronidase response to androgens, 767†
FITZPATRICK, T. B., *see* SHIZUME, L., 789†
FLINK, E. B., *see* DOE, R. P., 774†
——, *see* Questions & Answers, 259
FLINT, M. G., *see* DOE, R. P., 774†
FLORENTIN, A. A., *see* TYLER, F. H., 774†
FONSS-BECH, P., and LI, C. H.: Effect of adrenocorticotropic and growth hormones on the muscle glycogen of hypophysectomized rats, 834†
FOOTE, M. N.: Of boiling oil and barbers' chairs, 1385*
FORBES, A. P.; HENNEMAN, P. H.; GRISWOLD, G. C., and ALBRIGHT, F.: Syndrome characterized by galactorrhea, amenorrhea, and low urinary FSH: comparison with acromegaly and normal lactation, 265*
——, *see* HENNEMAN, P. H., 776†
FORD, D. H.: Effect of 11α-hydroxyprogesterone on reproductive system of normal and pregnant adult Wistar rats (Letter to the Editor), 1268*
FORSHAM, P. H., *see* BURNETT, R., 775†
——, *see* DI RAIMOND, V., 807†
——, *see* LIDDLE, G. W., 808†, 839*
——, *see* ORR, R., 806†
FORTUNATO, J., *see* KLEIN, R., 105*, 815†
FRANKSSON, C.; GEMZELL, C. A., and VON EULER, U. S.: Cortical and medullary adrenal activity in surgical and allied conditions, 608*
FRASER, T. R.; GARROD, O.; HANNO, M. G. W., and JADRESIC, A.: Antithyroid activity and toxicity of Mercazole and Neomercazole, 1230*
——, and NORDIN, B. E. C.: Phosphate-losing osteomalacia, and its paradoxical relief by large doses of vitamin D, 785†
FRAWLEY, T. F.; GARRETT, J. J., and ROSCH, P. J.: Metabolic adjustments during stress: the effect of intravenous glucose on pyruvate during compound F infusion, 791†
FRAZELL, E. L., and DUFFY, B. J.: Invasive papillary cancer of the thyroid, 1362*
FREDRICKSON, D. S., *see* GANONG, W. F., 773†
FREED, S. C., *see* ROSENMAN, R. H., 661*
FREEDBERG, A. S., *see* KURLAND, G. S., 572*
FREEDMAN, H. H., *see* COHEN, H., 807†
FREEMAN, M. E., *see* KYLE, L. H., 365*
FRENCH, A. B.; MIGEON, C. J.; SAMUELS, L. T., and BOWERS, J. Z.: Plasma 17-hydroxycorticosteroid and blood cell changes in the rhesus monkey after whole body x-irradiation, 816†

FRIEDMAN, M., *see* ROSENMAN, R. H., 661*
FRUHMAN, G. J., *see* GAUNT, R., 783†
FUKAYAMA, G., *see* COCHRANE, G. C., 832†
FURMAN, R. H.; HOWARD, R. P., and REIFENSTEIN, E. C.: New pharmacologic property of quinidine: protein anabolic effect (Letter to the Editor), 97*
FURR, W. E., and CRILE, G.: Struma lymphomatosa: clinical manifestations and response to therapy, 79*

GAEBLER, O. H., and ZUCHLEWSKI, A.: *In vivo* effects of growth hormone on transaminases and *l*-glutamic acid dehydrogenase, 833†
GABRIELSEN, Z., *see* BÖE, J., 939*
GALLAGHER, T. F., *see* KAPPAS, A., 777†
GANONG, W. F.; FREDRICKSON, D. S., and HUME, D. M.: Depression of the thyroidal iodine uptake by hypothalamic lesions, 773†
——, *see* KNOBIL, E., 787†
GARDNER, W. J., *see* SCHNEIDER, R. W., 829†
GARRETT, J. J., *see* FRAWLEY, T. F., 791†
GARROD, O., *see* FRASER, T. R., 1230*
GAUNT, R.; GORDON, A. S.; RENZI, A. A.; PADAWER, J.; FRUHMAN, M. S., and GILMAN, M.: Studies of electrocortin, 783†
GEIGER, E., *see* CATZ, B., 801†
GEMZELL, C. A., *see* FRANKSSON, C., 608*
GESCHWIND, I. I., and LI, C. H.: Endocrine control of an induced hepatic enzyme system, 789†
GIBBS, F. A., *see* CONDON, J. V., 1511*
GILLAM, J. S.; HUNTER, G. W., and DARNER, C. B.: Preliminary experience in treatment of the menopause with TACE, a new type of estrogen, 272*
GILLIS, M., *see* STANBURY, J. B., 1437*
GILMAN, M., *see* GAUNT, R. 783†
GLITZER, M. S., and BOSS, E. R.: Effect of growth hormone on the renal function and electrolyte balance in intact and hypophysectomized rats, 835†
GOATES, D. T., *see* WOODBURY, D. M., 822†
GODLEY, A. F., and STANBURY, J. B.: Preliminary experience in the treatment of hyperthyroidism with potassium perchlorate, 70*
GODWIN, J. T., *see* SHELLABARGER, C. J., 1149*
GOETZ, F. C., *dee* MUNSON, P. L., 495*
GOLD, J. J., *see* VAN DE WIELE, R., 776†
GOLDBERG, M. B.: Experience with long-term cortisone therapy in congenital adrenocortical hyperplasia, Report of 4 cases, 389*
GOLDENBERG, I. S. (with Lutwak, L.; Rosenbaum, P. J., and Hayes, M. A.): Recipient of Second Honorable Mention, 1954 Van Meter Prize of the American Goiter Association, 1459
GOLDFEIN, A.; BEIGELMAN, P. M.; LAIDLAW, J. C., and THORN, G. W.: Chlorohydrocortisone acetate, a highly potent derivative of compound F, 782†
GOLDMAN, R., and BASSETT, S. H.: Effect of intravenous calcium gluconate upon the excretion of calcium and phosphorus in patients with idiopathic hypoparathyroidism, 278*
GOLDNER, M. G.; VOLK, B. W., and LAZARUS S. S.: Effect of alpha-cell destruction on the HGF content of the canine pancreas, 184*
GOLDSMITH, E. D., and ROSS, L.: A histologic study of the effects of cortisone on the lower incisors of newborn rats, 824†
GOLDSMITH, R. E.: Effects of iodide on the rate of release of hormones from toxic thyroid glands, 769†
GOLDSMITH, R. R., *see* STANBURY, J. B., 1437*
GOODLAND, R. L.; REYNOLDS, J. G., and POMMERENKE, W. T.: Alveolar carbon dioxide tension levels during pregnancy and early puerperium, 522*
GOODMAN, J. R., *see* MALBURG, R. F., 666*
GOOLSBY, C. M., *see* HISAW, F. L., 1134*
GORDAN, G. S., *see* DAILEY, M. E., 673*
GORDON, A. S., *see* GAUNT, R., 783†
GORDON, D.; HORWITT, B. N., and SEGALOFF, A.: Adrenal response to ACTH in various clinical conditions, 297*
GORDON, E. I., *see* MARGULIS, R. R., 779†
GOSLINGS, J., *see* QUERIDO, A., 681*
GRACE, W. J. *see* HETZEL, B. S., 805†
GRAHAM, A.: Recipient of 1954 Award for Meritorious Service of the American Goiter Association, 1460
GREENBERG, J., *see* TAYLOR, D. J., 822†
GREENBLATT, R. B.: The physiologic effectiveness of progesterone vaginal suppositories (Letter to the Editor), 1564*
——: Vagaries in the symptomatology of Cushing's syndrome (Teaching Clinic), 961*
GREENSPAN, F. S., *see* KRISS, J. P., 770†
GREENWALD, I.: Goiter in Uruguay and Chile, 800†
GREEP, R. O., *see* KNOBIL, E., 787†
GREER, M. A., and SMITH, G. E.: Method for increasing the accuracy of the radioiodine uptake as a test for thyroid function by the use of desiccated thyroid, 1374*
GRIBOFF, S. I.; HERMANN, J. B.; SMELIN, A., and MOSS, J.: Hypercalcemia secondary to bone metastases from carcinoma of the breast. I. Relationship between serum

calcium and alkaline phosphatase values, 378*
GRISWOLD, G. C., *see* FORBES, A. P., 265*
GROLLMAN, A.: Endocrinologic studies on the nephrectomized dog, 784†
GRUMBACH, M. M., *see* WILKINS, L., 1270*
GUTERMAN, H. S.: Obituary, 133

HAAR, H.; PEARSON, S., and MCGAVACK, T. H.: Influence of desoxycorticosterone acetate (DCA) and cortisone (E) upon water and electrolyte excretion in man, 825†
——, *see* MCGAVACK, T. H., 825†
——, *see* PEARSON, S., 766†
HAINES, S. F.: *see* Questions & Answers, 259, 694
HALBERG, F., *see* ZANDER, H. A., 829†
HALMI, N. S.; An inquiry into the levels of integration of thyroid function in goitrogen treated rats, 769†
——, *see* SPIRITOS, B. N., 790†
HAMBLEN, E. C., *see* PLUNKETT, E. R., 735*
HAMERMESZ, J., *see* ASSALI, N. S., 781†
HAMILTON, J. B.: Androgenic activity per milligram of colorimetrically measured ketosteroids in urine: an index of the respective contributions from testicular and extra-testicular sources, 452*
——; HAMILTON, H. B., and MESTLER, G. E.: Aging in apparently normal men. II. Androgenic activity of urinary ketosteroids and of their alpha and beta fractions; the relationship of androgenic titers to values obtained by colorimetric assay, 139*
HAMILTON, J. G.; DURBIN, P. W., and PARROTT, M.: The accumulation and destructive action of astatine^{211} (ekaiodine) in the thyroid gland of rats and monkeys, 1161*
HAMILTON, H., *see* WERNER, S. C., 768†
HAMILTON, H. B., *see* HAMILTON, J. B., 139*
HAMLIN, E., *see* MCDERMOTT, W. V., 1336*
HAMM, D. I., *see* KOCHAKIAN, C. D., 767†
HAMWI, G. J., and BROWN, D. B.: Effects of carbonic anhydrase inhibitor in Addison's disease, 820†
HANBURY, E. M.; HESLIN, J.; STANG, L. G.; TUCKER, W. D., and RALL, J. E.: The diagnostic use of I^{132}, 1530*
HANNO, M. G. W., *see* FRASER, T. R., 1230*
HANSON, R. O., *see* BLIVAISS, B. B., 821†
HARKNESS, D. R., *see* BERN, H. A., 797†
HARRISON, J. H., *see* MUNSON, P. L., 495*
HARROLD, C. G., *see* PEARSON, O. H., 828†
HAVEL, R. J., *see* CARTER, A. C., 775†
HAYANO, M., and DORFMAN, R. I.: The steroid, 11-β-hydroxylase, 780†
HEANEY, R. P.; ELIEL, L. P.; JOEL, W., and STOUT, H.: Hyperphagia, obesity and duodenal ulcer associated with hypothalamic leukemic infiltration, 829†
——, *see* ELIEL, L. P., 837†
HECHT, H. H., *see* PLAGER, J. E., 780†
HECKEL, N. J.: Willard O. Thompson—Obituary, 699
——, *see* Questions & Answers, 761
HELLBAUM, A. A.; ESKRIDGE, J. B., and PAYNE, R. W.: Control of menopausal vasomotor symptoms with pituitary luteinizing factor and chorionic gonadotropin, 763†
HENDRICKS, C. H.: Use of chlorotrianisene (TACE) for suppression of postpartum lactation (Letter to the Editor), 339*
HENNEMAN, P. H.; FORBES, A. P.; RAKER, J. W., and ALBRIGHT, F.: Metabolic pattern following alleviation of Cushing's syndrome, 776†
——, *see* FORBES, A. P., 265*
HERRMANN, J. B., *see* GRIBOFF, S. I., 378*
HESLIN, J., *see* HANBURY, E. M., 1530*
HETZEL, B.; SCHOTTSTAEDT, W. W.; GRACE, W. J., and WOLFF, H. G.: Changes in urinary 17-hydroxycorticosteroid excretion during stressful life experiences in man, 805†
HICKEY, F. C., and BROWNELL, G. L.: Dynamic analysis of iodine metabolism in 4 normal subjects, 1423*
HILTON, G., *see* POCHIN, E. E., 1300*
HIRSCH, E. Z., *see* MUELLER, R., 1287*
HIRSCHOWITZ, B. I., *see* STREETEN, D. H. P., 821†
HISAW, F. L.; VELARDO, J. T., and GOOLSBY, C. M.: Interaction of estrogens on uterine growth, 1134*
——; VELARDO, J. T., and ZIEL, H. K.: Action of pregnanediols and related steroids on progesterone in decidual development, 763†
HLAD, C. J., and BRICKER, N. S.: Renal function and I^{131} clearance in hyperthyroidism and myxedema, 1539*
HODGKINSON, C. P., *see* MARGULIS, R. R., 779†
HOFFMAN, H., *see* ROBERTS, S., 797†
HOGAN, M. J., *see* DAILEY, M. E., 673*
HOGNESS, J. R.; VANARSDEL, P., and WILLIAMS, R. H.: *In vivo* interconversion of thyroxine and triiodothyronine, 772†
——, *see* VANARSDEL, P., 804†
HOLLANDER, J. L., *see* ZACCO, M., 711*
HOLMSTROM, E. G., *see* NEAL, L. M., 792†
HOMAN, J. D. H., *see* OVERBEEK, G. A., 681*
HORWITT, B. N., *see* GORDON, D., 297*
HOWARD, J. E., *see* Questions & Answers, 590

HOWARD, P. J., *see* MARGULIS, R. R. 779†
HOWARD, R. P., *see* FURMAN, R. H., 97*
HUME, D.: *see* GANONG, W. F., 773†
——, *see* LIDDLE, G. W., 808†
——, *see* NELSON, D. H., 781†
HUMPHREYS, E., *see* LANDAU, R. L., 1097*
HUNTER, G. W., *see* GILLAM, J. S., 272*
HURXTHAL, L. M., *see* Questions & Answers, 359
HUTCHISON, J. H., and MCGIRR, E. M.: Hypothyroidism as an inborn error of metabolism, 869*
HYDE, P. M., and WILLIAMS, R. H.: Excretion of hydrocortisone-4-C^{14}, 817†

INGLE, D. J.: Education for research (Editorial), 588*
——: Permissive action of hormones (Letter to the Editor), 1272*
INGRAM, W. R., *see* SPIRTOS, B. N., 790†
IRAZU, J., *see* DE LA BALZE, F. A., 626* 798†
ISLAND, D., *see* DI RAIMONDO, V., 807†
——, *see* LIDDLE, G. W., 808†, 839*
——, *see* ORR, R., 806†
ISRAEL, H. L., *see* KROSNICK, A., 242*

JACKSON, W. P. U.: The prediabetic syndrome. Large babies and the (pre)-diabetic father, 177*
JACOBSON, H. N., *see* KELLOGG, R. H., 836†
JACQUES, L., *see* ZIMMERMAN, L. M., 1367*
JADRESIC, A., *see* FRASER, T. R., 1230*
JAHN, J. P., *see* KINSELL, L. W., 110*
JAILER, J. W., *see* KNOWLTON, A. I., 205*
——, *see* Questions & Answers, 485
——, *see* VAN DE WIELE, R., 776†
JENKINS, J. P., *see* KUPPERMAN, H. S., 793†
JENSEN, H., *see* BOTKIN, A. L., 1219*
JOEL, W., *see* HEANEY, R. P., 829†
JOHNSON, B. B.; AXELRAD, B. J.; CATES, J. E., and LUETSCHER, J. A.: High electrolyte activity of some compounds related to 11-desoxycorticosterone, 813†
——, *see* AXELRAD, B. J., 783†
——, *see* LUETSCHER, J. A., 812†
JOHNSON, R. E., *see* LYONS, W. R., 831†
JONES, G. E. S., *see* KLINEFELTER, H. F., 1247*
JONES, M. D., *see* LINDSAY, S., 1179*
JOSEPHSON, E. S., *see* TAYLOR, D. J., 822†
JUDD, E. S., *see* LEV, R., 1355*

KAPPAS, A.; PEARSON, O. H.; WEST, C. D., and GALLAGHER, T. F.: Steroid isolation studies in female hirsutism: evidence for adrenocortical dysfunction, 777†
KASSENAAR, A.; MOLENAAR, A.; NIJLAND, J., and QUERIDO, A.: Estimation of 17-hydroxycorticoids in peripheral human blood (Letter to the Editor), 746*
——, *see* QUERIDO, A., 681*
KEATING, F. R., *see* Questions & Answers, 358
KELLEY, V. C., *see* ELY, R. S., 818†
KELLOGG, R. H.; JACOBSON, J. N., and NEWLON, R. R.: Rate of decay of the antidiuretic effect of injected vasopressin in rats, 836†
KELLY, F. J.: Observations on the calculation of thyroid weight, using empirical formulae, 326*
KENIGSBERG, S., *see* CHEVALLEY, J., 948*
——, *see* MCGAVACK, T. H., 801†
KENNEDY, J., *see* WOLFSON, W. Q., 778†
KING, C. T. G., and SCHAEFER, K. E.: Adrenal pituitary response to 30 per cent CO^2 in air and in oxygen, 823†
KINSELL, L. W.; BRYANT, D., and ALBRIGHT, F.: Rate of growth of axillary hair as a diagnostic index, 897*
——; LAWRENCE, L.; BALCH, H. E., and WEYAND, R. D.: Hypophysectomy in patients with malignant diabetic vascular disease—metabolic and clinical evaluation, 790†
——; MARGEN, S.; PARTRIDGE, J. W.; MICHAELS, G. D.; BALCH, H. E., and JAHN, J. P.: Metabolic effects of "pituitary growth hormone preparations" in human subjects: summary of quantitative studies extending over a five-year period (Letter to the Editor), 110*
——; MICHAELS, G. D.; MARGEN, S.; PARTRIDGE, J. W.; BOLING, L., and BALCH, H. E.: A case for cortical steroid hormone acceleration of neoglucogenesis from fat in diabetic subjects. A summary of five years' investigative work, 161*
——, *see* COCHRANE, G. C., 832†
——, *see* MICHAELS, G. D., 833†
——, *see* Questions & Answers, 131, 696
KIRKEBY, K.: Cortisone and ACTH in the treatment of localized thyrotoxic myxedema: report of a case, 561*
KIRKENDALL, W. M., *see* BLOODWORTH, J. M. B., 540*
KIRKLAND, R. H.: Impaired organic binding of radioiodine by the thyroid following radioiodine treatment of hyperthyroidism, 565*
KIRKWOOD, S.: Recipient of the 1954 Van Meter Prize of the American Goiter Association, 1458.
KITAY, J. I.: Pineal lesions and precocious puberty: a review, 622*
KLEEMAN, C. R.; QUINN, M., and BASS, D. F.: The control of variable influences

on the electrolyte content of sweat and their application to clinical study of adrenal function, 1126*

KLEIN, R.; PAPADATOS, C., and FORTUNATO, J.: Effect of ascorbic acid on hormonal excretion (Letter to the Editor), 105*

——; PAPADATOS, C., FORTUNATO, J., and BYERS, C.: Conjugated serum corticoids, 815†

——, *see* PAPADATOS, C., 653*

KLEINBERG, W., *see* COHEN, H., 807†

KLINE, I. T.: Rejection of response to gonadotropin in chicks deficient in pantothenic acid or injected with squalene, 793†

KLINEFELTER, H. F.: Pituitary adenomas (Editorial), 756*

——, and JONES, G. E. S.: Amenorrhea due to polycystic ovaries (Stein-Leventhal syndrome) (Teaching Clinic), 1247*

KNOBIL, E.; GANONG, W. F., and GREEP, R. O.: Growth hormone in normal and hypophysectomized immature rhesus monkeys, 787†

KNOWLTON, A. I.; POOL, J. L., and JAILER, J. W.: Lack of effect of hypophysectomy upon metastatic adrenocortical carcinoma with Cushing's syndrome: a case report, 205*

KOCHAKIAN, C. D.; HAMM, D. I.; NALL, D. M., and STIDWORTHY, G. H.: The role of various tissues in the metabolism of androgens, 767†

KOHN, M. M., *see* BARTELS, E. C., 1403*

KOLB, F. O., and RUKES, J. M.: Effects of Benemid (probenecid) in the treatment of hypoparathyroidism and pseudohypoparathyroidism, 785†

——, *see* BURNETT, R., 775†

KRISS, J. P., and GREENSPAN, F. S.: Urinary excretion of thyrotropic hormone by normal humans and by subjects with altered thyroid function, 770†

KROC, R. L.; PHILLIPS, G. E.; STASILLI, N. R., and MALAMENT, S.: Antigoitrogenic and calorigenic assay of thyroglobulin, desiccated thyroid and *l*-thyroxine by different routes of administration in rats, 56*

KROHN, P. L.: Cyclical intermenstrual pain (the mittelschmerz) (Letter to the Editor), 682*

KROSNICK, A.; SEGAL, H. I., and ISRAEL, H. L.: Penethamate hydriodide (Neopenil): influence on blood protein-bound iodine levels, 242*

KUMAGAI, L. F.; BRILL, B. A., and DOUGHERTY, T. F.: Growth hormone and lymphatic organs, 786†

KUPPERMAN, H. S.; FINKLER, R., and BURGER, J.: Failure of methylandrostenediol to inhibit adrenal suppression by cortisone in the human, 810†

——; WYANT, E. L.; DEGRAFF, A. C., and JENKINS, J. P.: Effect of antihyaluronidase compounds upon gonadotropic hormone preparations, 793†

KURLAND, G. S.; FREEDBERG, A. S., and FISHMAN, J.: Effect on thyrotropin on changes in thyroid function following administration of I^{131} to euthyroid cardiac patients, 572*

KYLE, L. H.: Estimation of body fat (Editorial), 969*

——; MERONEY, W. H., and FREEMAN, M. E.: Study of the mechanism of bone disease in hypophosphatemic glycosuric osteomalacia, 365*

——; SCHAAF, M., and MEYER, R. J.: Unrecognized postoperative hypoparathyroidism (Teaching Clinic), 579*

——; WELHAM, W. C.; DOOLAN, P. D., and SCHAAF, M.: Study of the extrathyroidal effects of thyroid-stimulating hormone, 1029*

LAIDLAW, J. C.; JENKINS, D.; REDDY, W. J.: HARRISON, J. H., and THORN, G. W.: Diagnosis of hyperadrenocorticism, 781†

——, *see* ABU-HAYDAR, N., 766†

——, *see* GOLDFEIN, A., 782†

——, *see* MUNSON, P. L., 495*

LANDAU, R. L.: Classification of testicular disorders (Editorial), 1560*

——; STIMMEL, B. F.; HUMPHREYS, E., and CLARK, D. E.: Gynecomastia and retarded sexual development resulting from a long-standing estrogen-secreting adrenal tumor, 1097*

LANDING, B. H.: Hilar-cell proliferation in the adrenogenital syndrome (Letter to the Editor), 245*

——, and FERIOZI, D.: Effect of ACTH on the adrenals in the nephrotic syndrome and rheumatic fever, 1023*

——, and FERIOZI, D.: Effects of ACTH and cortisone on the adrenals and pituitaries of children with acute leukemia, 910*

LANDOLT, I., *see* TOUCHSTONE, J. C., 676*

LAWRENCE, J. H., *see* CONTOPOULOS, A. N., 831†

LAWRENCE, L., *see* KINSELL, L. W., 790†

LAWRENCE, N., *see* BAKKE, J. L., 771†

LAZARUS, S. S., *see* GOLDNER, M. G., 184*

LAZO-WASEM, E. A., *see* ZARROW, M. X., 645*

LEACH, R. B.; TOKUYAMA, I., and MADDOCK, W. O.: Measurement of plasma chorionic gonadotropin levels in men receiv-

ing this hormone: an application of the augmenting effect of plasma, 887*
——, *see* MADDOCK, W. O., 766†
——, *see* TOKUYAMA, I., 509*
LEE, G. R., *see* WOODBURY, D. M., 822†
LEE, N. D.: The permissive role of adrenal steroids in protein anabolism, 824†
LEFTIN, J. H., *see* MARKS, L. J., 1263*
LERMAN, J.: Myxedema heart: a case report (Teaching Clinic), 477*
——: The contributions of triiodothyronine to thyroid physiology (Editorial), 690*
LERNER, A. B.; SHIZUME, K., and BUNDING, I.: The mechanism of endocrine control of melanin pigmentation, 1463*
——, *see* SHIZUME, K., 789† 1491*
LEV, R.; JUDD, E. S.; BEAHRS, O. H., and WOOLNER, L. B.: Anaplastic carcinoma of the thyroid: evaluation of postoperative results, 1355*
LEVINGER, E. L., and ESCAMILLA, R. F.: Hereditary diabetes insipidus, with reports of many instances in seven generations of one family, 788†
LEVY, L. M., *see* SCHNEEBERG, N. G., 223*
LEVY, R., *see* WOLFSON, W. Q., 778†
LEWIS, L., *see* WOLFSON, W. Q., 778†
LI, C. H., *see* FONSS-BECH, P., 834†
——, *see* GESCHWIND, I. I., 789†
——, *see* LYONS, W. R., 831†
LI, M. C., *see* PEARSON, O. H., 828†
——, *see* WEST, C. D., 786†
LIBBY, R. L.: Empirical formulae for the estimation of thyroid weight (Letter to the Editor), 1265*
LIDDLE, G. W.; ISLAND, D.; RINFRET, A. P., and FORSHAM, P. H.: Factors enhancing the response of the human adrenal to corticotropin: is there an adrenal growth factor? 839*
——; PECHET, M. M., and BARTTER, F. C.: Enhancement of activity of hydrocortisone by substitution of a halogen atom in the 9-alpha position, 813†
——; RINFRET, A. P.; ISLAND, D.; NELSON, D. H.; WEXLER, B.; HUME, D., and FORSHAM, P. H.: A potent steroidogenic anterior pitutiary fraction which is poor in adrenal ascorbic-acid depleting activity, 808†
LIEBERMAN, S., *see* VAN DE WIELE, R., 776†
LINDSAY, S.; DAILEY, M. E., and JONES, M. D.: Histologic effects of various types of ionizing radiation on normal and hyperplastic human thyroid glands, 1179*
LIPSCOMB, A., *see* VAN MIDDLESWORTH, L., 1056*
LIVINGSTONE, E. T., *see* CARTER, A. C., 775†
LLOYD, C. W.; PIEROG, S.; LOEWY, E. H.; BRADWICK, K., and SOSTHEIM, R.: Antidiuretic activity of normal and hypophysectomized rats, 788†
——, *see* LOBOTSKY, J., 809†
——, *see* LOEWY, E. H., 835†
LOBO, R., *see* MANCINI, R. E., 818†
LOBOTSKY, J.; LOEWY, B. P.; LLOYD, C. W., and ROGERS, W. F.: Studies of steroid-forming neoplasms, 809†
LOESER, A. A., *see* WOLF, J., 107*
LOEWY, B. P., *see* LOBOTSKY, J., 809†
LOEWY, E. H., and LLOYD, C. W.: Studies of fluid metabolism of the hypophysectomized rat, 835†
——, *see* LLOYD, C. W., 788†
LOONEY, J. M.: Testosterone isobutyrate and testosterone phenylacetate: two long-acting androgens for clinical use, 800†
LOW-BEER, B. V. A., *see* DAILEY, M. E., 673*
LUETSCHER, J. A., and AXELRAD, B. J.: Sodium-retaining corticoid in the urine of normal children and adults and of patients with hypoadrenalism or hypopituitarism (Letter to the Editor), 1086*
——; JOHNSON, B. B.; AXELRAD, B. J.; CATES, J. E., and SALA, G.: Apparent identity of electocortin with the sodium-retaining corticoid extracted from human urine, 812†
——, *see* AXELRAD, B. J., 783†
——, *see* JOHNSON, B. B., 813†
LUKENS, F. D. W.; SPOONT, S., and BAROL, S. R.: Hypoglycemia (Teaching Clinic), 248*
LYONS, W. R.; LI, C. H.; JOHNSON, R. E., and COLE, R. D.: Hormonally-induced lactation in male rats, 831†

MACINTYRE, F. H., *see* SHIPLEY, R. A., 309*
MACK, R., *see* SEXTON, D. L., 747*
MACKENZIE, K. R., *see* BECK, J. C., 997*
MACLEAN, J. P., *see* PEARSON, O. H., 828†
——, *see* WEST, C. D., 786†
MADDOCK, W. O.; LEACH, R. B.; TOKUYAMA, I., and PAULSEN, C. A.: A sensitive antihormone assay method employing chorionic gonadotropin as the "test hormone," 766†
——, *see* LEACH, R. B., 887*
——, *see* Questions & Answers, 1574
——, *see* TOKUYAMA, I., 509*
MAISTERRENA, J., *see* CHAPMAN, E. M., 45*
MALAMENT, S., *see* KROC, R. L., 56*
MALBURG, R. F., and GOODMAN, J. R.: Aluminum hydroxide as an adsorbing agent for urinary gonadotropins, 666*
MALOOF, F., *see* CHAPMAN, E. M., 45*
MANCINI, R. E.; DE LA BALZE, F. A.; SCARPA, C. J.; LOBO, R., and ANDRADE, J.:

Histologic study of testes at puberty: II. Histochemistry, 818†
——, *see* DE LA BALZE, F. A., 798†
MARBERGER, E., and NELSON, W. O.: Sexual differences in nuclei of human skin, 768†
MARGEN, S., *see* KINSELL, L. W., 110*, 161*
MARGULIS, R. R.; HODGKINSON, C. P.; HOWARD, P. J., and GORDON, E. I.: Effects of administration of adrenocorticotropic hormone and cortisone during pregnancy upon mothers, developing fetuses and infants, 779†
MARINELLO, Z., *see* SCHUTTE, J. A., 827†
MARKANDT, B., *see* ENGSTROM, W. W., 215*
MARKS, L. J., and LEFTIN, J. H.: A note of caution on the lack of specificity of the Porter-Silber reaction for 17, 21-dihydroxy-20-ketosteroids (Letter to the Editor), 1263*
MARQUEZ, J. F., *see* SCHUTTE, J. A., 827†
MARTIN, G., *see* COHEN, H., 807†
MARTIN, J., *see* CHAPMAN, E. M., 45*
MARTIN, M. M., and POND, M. H.: Pituitary insufficiency associated with diabetes mellitus, 1046*
MARTINELLI, M., *see* MORUZZI, G., 1144*
MASON, H. L., *see* Questions & Answers, 484
MASTBOOM, J. L.: Effect of DCA on hemodynamics and electrolyte balance of normal pregnant women (Letter to the Editor), 109*
MCCULLAGH, E. P.: *see* Questions & Answers, 130, 761, 1277, 1574
MCDERMOTT, W. V.; MORGAN, W. S.; HAMLIN, E., and COPE, O.: Cancer of the thyroid, 1336*
MCGAVACK, T. H., and CHEVALLEY, J.: Granulocytopenic reactions in man to antithyroid compounds, 801†
——; CHEVALLEY, J.; PEARSON, S., and KENIGSBERG, S.: Four-year study of the treatment of hyperthyroidism with methimazole, 801†
——, HAAR, H., and PEARSON, S.: Potentiating effect of cortisone (E) on the diuretic action of choline theophyllinate (CT), 825†
——, *see* CHEVALLEY, J., 948*
——, *see* HAAR, H., 825†
——, *see* PEARSON, S., 472*, 766†
MCGIRR, E. M., *see* HUTCHISON, J. H., 869*
MCLEOD, J. P. U.: The "normalizing steroids." Are we missing the boat? 795†
MCNIEL, K., *see* BLIVAISS, B. B., 821†
MCQUARRIE, I., *see* Questions & Answers, 1451
MELLINGER, R. C., *see* SMITH, R. W., 336*, 806†
MERONEY, W. H., *see* KYLE, L. H., 365*
MERRYMAN, W.; BOIMAN, R.; BARNES, L., and ROTHCHILD, I.: Progesterone "Anesthesia" in Human Subjects (Letter to the Editor), 1567*
MESTLER, G. E., *see* HAMILTON, J. B., 139*
MEYER, R. J., *see* KYLE, L. H., 579*
MICHAELS, G. D.; OSAWA, E.; BAKER, C., and KINSELL, L. W.: A technique for quantitative evaluation of the effects of anabolic and catabolic hormonal agents, 833†
——, *see* COCHRANE, G. C., 832†
——, *see* KINSELL, L. W., 110*, 161*
MIGEON, C. J.: Measurement of dehydroisoandrosterone and androsterone-etiocholanolone in peripheral plasma of man, 778†
——, *see* FRENCH, A. B., 816†
——, *see* TYLER, F. H., 774†
MILLER, R., *see* VANARSDEL, P., 804†
MITCHELL, R. G., and CODE, C. F.: Urinary excretion of histamine after administration of cortisone, 707*
MITCHELL, S., *see* BOOKER, W. M., 819†
MOLENAAR, A., *see* KASSENAAR, A., 746*
MONEY, W. L., *see* SONENBERG, M., 832†
MONTAGNA, W.: Review of Greep's Histology, 1286
MONTANARI, L., *see* MORUZZI, G., 1144*
MORGAN, W. S., *see* MCDERMOTT, W. V., 1336*
MORLEY, T. P., Hypothalamic tumor and precocious puberty, 1*
MORUZZI, G.; ROSSI, C. A.; MONTANARI, L., and MARTINELLI, M.: Blood ACTH in man: "active" and "activable" fractions, 1144*
MOSS, J., *see* GRIBOFF, S. I., 378*
MUELLER, R.; BRAUSCH, C. C.; HIRSCH, E. Z.; BENUA, R. S., and DOBYNS, B. M.; uptake of radioactive iodine in the thyroid of patients with impaired liver function, 1287*
MULAY, A. S.; SASLAW, L. D., and NADEL, E. M.: Interrelationships of liver glycogen deposition, corticosteroids and ascorbic acid in scorbutic guinea pigs, 805†
MUNSON, P. L.; GOETZ, F. C.; LAIDLAW, J. C.; HARRISON, J. H., and THORN, G. W.: Effect of adrenocortical steroids on androgen excretion by adrenalectomized orchidectomized men, 495*
——, *see* BRIGGS, F. N., 811†
MUSTACCHI, P.; PETERMANN, M. L., and RALL, J. E.: Changes in human plasma mucoproteins in hyperthyroidism and myxedema, 729*

NADEL, E. M., *see* MULAY, A. S., 805†
——, *see* TAYLOR, D. J., 822†
NAFFZIGER, H. C., *see* DAILEY, M. E., 673*
NALL, D. M., *see* KOCHAKIAN, C. D., 767†
NATHANSON, I. T.: Obituary, 1278
NEAL, L. M.; BARTON, R. C.; HOLMSTROM, E. G., and SALHANICK, H. A.: A routine bioassay procedure for gonadotropic extracts, 792†
NEHER, G. M., *see* ZARROW, M. X., 798†
NELSON, D. H., and HUME, D. M.: New method for the determination of ACTH in blood, 781†
——, *see* BLISS, E. L., 423*
——, *see* LIDDLE, G. W., 808†
——, *see* PERKOFF, G. T., 531*
NELSON, W. O.: Etiologic factors in spermatogenic arrest, 799†
——, *see* MARBERGER, E., 768†
NEUTELINGS, J. P. J., *see* OVERBEEK, G. A., 681*
NEWLON, R. R., *see* KELLOGG, R. H., 836†
NIJLAND, J., *see* KASSENAAR, A., 746*
NOBLE, R. L., *see* Questions and Answers, 258
NODINE, J. H.; PERLOFF, W. H.; DE ALBUQUERQUE, D.; PERCZEK, L., and CHANNICK, B.: The diphasic character of thyroidal I^{131} clearance, 773†
NOLAZCO, J., *see* DE LA BALZE, F. A., 798†
NORDIN, B. E. C., *see* FRASER, R., 785†
NURNBERGER, C. E., *see* VAN MIDDLESWORTH, L., 1056*
NUSIMOVICH, B., *see* ABU-HAYDAR, N., 766†

OLSON, K. J., *see* STAFFORD, R. O., 799†
ORR, R.; DI RAIMONDO, V.; RINFRET, A.; ISLAND, D., and FORSHAM, P. H.: A simplified test of adrenocortical function, utilizing corticotropin gel, 806†
OSAWA, E., *see* MICHAELS, G. D., 833†
OVERBEEK, G. A.; HOMAN, J. D. H.; NEUTELINGS, J. P. J.; BOOY, C. J., and VAN DER VIES, J.: Corticotropin-zinc: chemical and pharmacologic investigations on a long-acting ACTH preparation (Letter to the Editor), 681*

PADAWER, J., *see* GAUNT, R., 783†
PAGE, I. H.: *see* DEL GRECO, F., 678*
PANOS, T. C., and FINERTY, J. C.: Effect of hyperthyroidism and hypothyroidism on young fat-deficient male rats, 802†
——, *see* FINERTY, J. C., 823†
PAPADATOS, C., and KLEIN, R.: Addison's disease in a boy with hypoparathyroidism, 653*
——, *see* KLEIN, R., 105*, 815†
PARIS, J.; UPSON, M.; SPRAGUE, R. G.; SALASSA, R. M., and ALBERT, A.: Corticotropic activity of human blood, 597*
PARROTT, M., *see* HAMILTON, J. G., 1161*
PARSON, W., *see* CRISPELL, K. R., 640*
PARTRIDGE, J. W., *see* KINSELL, L. W., 110*, 161*
PASCHKIS, K. E., and ABELOVE, W. A.: Comparison of diabetogenic action of cortisone and of growth hormone in different species, 837†
——, *see* ABELOVE, W. A., 32*
PATTEE, C. J., *see* ARENDT, E. C., 836†
——, *see* CLEGHORN, R. A., 344*
PATTI, A. A., *see* SMITH, R. W., 336*, 806†
PAULL, A. M., and PHILLIPS, R. W.: Primary myxedema with secondary adrenocortical failure, 554*
PAULSEN, C. A., *see* MADDOCK, W. O., 766†
PAYNE, R. W., *see* HELLBAUM, A. A., 763†
——, *see* SHETLAR, M. R., 834†
PEARSON, O. H.; RAY, B. S.; HARROLD, C. G.; WEST, C. D.; LI, M. C., and MACLEAN, J. P.: Effect of hypophysectomy on neoplastic disease in man, 828†
——, *see* KAPPAS, A., 777†
——, *see* Questions & Answers, 1090
——, *see* RALL, J. E., 769†
——, *see* WEST, C. D., 786†
PEARSON, S., and MCGAVACK, T. H.: Steroid studies. II. The metabolism of androstan-17(β)-ol-3-one, 472*
——; MCGAVACK, T. H., and HAAR, H. Chromatographic patterns of the 17-ketosteroid excretion in men with reduced testicular activity, 766†
——, *see* CHEVALLEY, J., 948*
——, *see* HAAR, H., 825†
——, *see* MCGAVACK, T. H., 801†, 825†
PECHET, M. M., *see* LIDDLE, G. W., 813†
PEMBERTON, J. DE J.: Recipient of 1954 Award for Meritorious Service, American Goiter Association, 1460
PERCZEK, L., *see* NODINE, J. H., 773†
PERKOFF, G. T.; SALHANICK, H. A.; ZARROW, M. X.; NELSON, D. H., and TYLER, F. H.: Effects of administration of relaxin to human subjects, 531*
PERLMUTTER, M.; SLATER, S. L., and ATTIE, J.: Method for preoperative differentiation between the benign and the possibly malignant solitary nontoxic thyroid nodule (Letter to the Editor), 672*
PERLOFF, W. H., *see* NODINE, J. H., 773†
——, *see* SCHNEEBERG, N. G., 223*
PETERMANN, M. L., *see* MUSTACCHI, P., 729*
PHILLIPS, G. E., *see* KROC, R. L., 56*
PHILLIPS, R. W., *see* PAULL, A. M., 554*

PICAZA, J. A., *see* SCHUTTE, J. A., 827†
PIEROG, S., *see* LLOYD, C. W., 788†
PITT-RIVERS, R.: Metabolic effects of compounds structurally related to thyroxine *in vivo:* thyronine derivatives (Editorial), 1444*
PLAGER, J. E.; TYLER, F. H.; HECHT, H. H., and SAMUELS, L. T.: Metabolism and excretion of intravenously administered 4-C^{14}-17-hydroxycorticosterone, 780†
PLUNKETT, E. R.; SAWTELLE, W. E., and HAMBLEN, E. C.: Report of a patient with typical progeria, including data from urinary hormone studies, 735*
POCHIN, E. E.; CUNNINGHAM, R. M., and HILTON, G.: Quantitative measurements of radioiodine retention in thyroid carcinoma, 1300*
POLLARD, H. M., *see* STREETEN, D. H. P., 821†
POMMERENKE, W. T., *see* GOODLAND, R. L., 522*
POND, M. H., *see* MARTIN, M. M., 1046*
POOL, J. L., *see* KNOWLTON, A. I., 205*
POULSON, J., *see* BOOKER, W. M., 819†
POUTASSE, E. F.: Radiographic visualization of the adrenal glands, 805†
PRENTICE, R. J.: Pseudohypoparathyroidism; a case report, 1069*
PRUDDEN, J. F., *see* BECKER, D. V., 803†

QUERIDO, A.; GOSLINGS, J.; CATS, A., and KASSENAAR, A.: Clinical evaluation of corticotropin (Letter to the Editor), 681*
——, *see* KASSENAAR, A., 746*
QUINN, M., *see* KLEEMAN, C. R., 1126*

RAKER, J. W., *see* HENNEMAN, P. H., 776†
RALL, J. E.; ROBBINS, J.; WEST, C. S.; PEARSON, O. H., and RAWSON, R. W.: Metabolic effects of thyrotropic hormone, 769†
——, *see* HANBURY, E. M., 1530*
——, *see* MUSTACCHI, P., 729*
——, *see* ROBBINS, J., 772†
——, *see* WEST, C. D., 786†
RAWSON, R. W., *see* Questions & Answers, 1090
——, *see* RALL, J. E., 769†
——, *see* SONENBERG, M., 832†
RAY, B. S., *see* PEARSON, O. H., 828†
REIFENSTEIN, E. C., *see* FURMAN, R. H., 97*
——, *see* Questions & Answers, 975, 1277
REILLY, W. A., and SCOTT, K. G.: A rapid simple clinical radioactive method for evaluating thyroid function, 770†
REINER, L., *see* BURT, A. S., 719*
RENZI, A. A., *see* GAUNT, R., 783†
REYNOLDS, J. G., *see* GOODLAND, R. L., 522*
RICHARDSON, E. N. *see* TOUCHSTONE, J. C., 676*
——, *see* ZACCO, M., 711*
RINEHART, J. F., *see* FARQUHAR, M. G., 786†
RINFRET, A.: *see* DI RAIMONDO, V., 807†
——, *see* LIDDLE, G. W., 808†, 839*
——, *see* ORR, R., 806†
RITCHIE, A. C., *see* ZIMMERMAN, L. M., 1367*
ROBBINS, J., and RALL, J. E.: Studies on the thyroxine-protein complex of serum, 772†
ROBERTS, S., and HOFFMAN, H.: Influence of steroids on uterine protein metabolism, 797†
ROBERTS, T. N., see CARTER, A. C., 775†
ROBINS, J., *see* RALL, J. E., 769†
ROBINSON, W. W.: Need for further study as to the role of the parathyroids in Cushing's syndrome, 811†
ROGERS, W. F., *see* LOBOTSKY, J., 809†
ROSCH, P. J., *see* FRAWLEY, T. F., 791†
ROSENBERG, I. N.: Recipient of the 1954 Ciba Award of the Endocrine Society, 977
ROSENMAN, R. H.; FREED, S. C., and FRIEDMAN, M.: Effect of desoxycorticosterone acetate upon the blood pressure of rats fed varied dietary intakes of potassium and sodium, 661*
ROSENZWEIG, R. E., *see* BLIVAISS, B. B., 821†
ROSS, L., *see* GOLDSMITH, E. D., 824†
ROSSI, C. A., *see* MORUZZI, G., 1144*
ROTHCHILD, I., *see* MERRYMAN, W., 1567*
RUBIN, B. L., DORFMAN, R. I., and DORFMAN, A.: Adrenocorticotropic hormone (ACTH) in urine, 154*
RUKES, M., *see* BURNETT, R., 775†
——, *see* KOLB, F. O., 785†
RUPP, J. J., *see* ABELOVE, W. A., 32*
RUSTAD, W. H.: Revised anatomy of the recurrent laryngeal nerves: surgical importance, based on the dissection of 100 cadavers, 87*

SAINT GOAR, W. T.: "Was ist die Ursache?" (Letter to the Editor), 1569*
SALASSA, R. M., *see* PARIS, J., 597*
SALHANICK, H. A., *see* BIGLER, R., 817†
——, *see* NEAL, L. M., 792†
——, *see* PERKOFF, G. T., 531*
SAMUELS, L. T., *see* BLISS, E. L., 423*
——, *see* FRENCH, A. B., 816†
——, *see* PLAGER, J. E., 780†
——, *see* Questions & Answers, 358
——, *see* TYLER, F. H., 774†
SANDHAUS, S., *see* SCHULTZ, A. L., 1062*
SASLAW, L. D., *see* MULAY, A. S., 805†
SAUNDERS, F. J.: Role of various steroids in effecting survival after several types of stress in the adrenalectomized mouse, 819†

SAWTELLE, W. E., *see* PLUNKETT, E. R., 735*
SAWYER, C. H., *see* BARRACLOUGH, C. A., 765†
SCARPA, C. J., *see* MANCINI, R. E., 818†
SCARPA-SMITH, F., *see* DE LA BALZE, F. A., 626*
SCHAAF, M., *see* KYLE, L. H., 579*, 1029*
SCHAEFER, K. E., and KING, C. T. G.: Carbohydrate metabolism and adrenocortical activity under 30 per cent CO_2 in air oxygen, 824†
——, *see* KING, C. T. G., 823†
SCHECHTER, F. R., *see* STEINBERG, A., 1519*
SCHEIFLEY, C. H., *see* SCHOLZ, D. A., 1074*
SCHILLER, J., and TYAN, E. A.: Serum inorganic phosphate response in pituitary disorders, 828†
SCHNEEBERG, N. G.; PERLOFF, W. H., and LEVY, L. M.: Diagnosis of equivocal hypothyroidism, using thyrotropic hormone (TSH), 223*
SCHNEIDER, R. W.: Administration of intravenous calcium to aid in the diagnosis of hyperparathyroidism, 830†
——, and GARDNER, W. J.: Correction of malignant exophthalmos by transection of the pituitary stalk after unsuccessful orbital decompression, 830†
SCHOLZ, D. A., and SCHEIFLEY, C. H.: Alkalosis, renal insufficiency and hypercalcemia secondary to the excessive intake of Sippy powders (Teaching Clinic), 1074*
SCHOTTSTAEDT, W. W., *see* HETZEL, B. S., 805†
SCHULTZ, A. L.; SANDHAUS, S.; DEMOREST, H. L., and ZIEVE, L.: Clinical value of the plasma butanol-extractable (thyroxine) I^{131} in the diagnosis of hyperthyroidism and myxedema, 1062*
SCHUTTE, J. A.; PICAZA, J. A.; MARINELLO, Z., and MARQUEZ, J. F.: Changes observed after hypophysectomy in 4 patients suffering from advanced cancer of the breast, 827†
SCIALABBA, D., *see* WILSON, H., 814†
SCOTT, K. G., *see* REILLY, W. A., 770†
SEGAL, H. I., *see* KROSNICK, A., 242*
——, *see* STEINBERG, A., 1519*
SEGALOFF, A.: A note of caution on the hemolytic properties of water-soluble androgens (Letter to the Editor), 244*
——, and FARBER, E.: Inhibition of fat-mobilizing properties of ethionine by anabolic steroids and growth hormone, 787†
——, *see* GORDON, D., 297*
SELYE, H.: An experimental model illustrating the pathogenesis of the diseases of adaptation, 997*
——: "Conditioning" versus "permissive" action of hormones (Editorial), 122*
SEXTON, D. L., and MACK, R.: Cretinism, with and without goiter, in 5 of 10 siblings (Teaching Clinic), 747*
SHEINFELD, S., *see* TOKUYAMA, I., 509*
SHELLABARGER, C. J., and GODWIN, J. T.: Studies on the thyroidal uptake of astatine in the rat, 1149*
SHELTON, E. K., *see* SKEELS, R. F., 794†
SHETLAR, C. L., *see* SHETLAR, M. R., 834†
SHETLAR, M. R.; SHETLAR, C. L., and PAYNE, R. W.: Effect of hypophysectomy and growth hormone on serum polysaccharide level in the rat, 834†
SHIPLEY, R. A., and MACINTYRE, F. H.: Effect of stress, TSH and ACTH on the level of hormonal I^{131} of serum, 309*
SHIZUME, K., and LERNER, A. B.: Determination of melanocyte-stimulating hormone in urine and blood, 1491*
——; LERNER, A. B., and FITZPATRICK, T. B.: Melanocyte-stimulating hormone (intermedin, melanophore hormone) in human blood and urine, 789†
——, *see* LERNER, A. B., 1463*
SHOGER, R. L., *see* ZARROW, M. X., 645*
SHORR, E., *see* CARTER, A. C., 775†
SHUBIK, P., *see* ZIMMERMAN, L. M., 1367*
SHUMWAY, M., and DAVIS, P. L.: Cat-scratch thyroiditis treated with thyrotropic hormone, 742*
SIEGLER, S. L.: Obituary, 134
SIKES, D., *see* ZARROW, M. X., 798†
SIMPSON, M. E., *see* CONTOPOULOS, A. N., 831†
SKEELS, R. F.; SHELTON, E. K., and TURNER, H. H.: Female hypogonadism untreated until the fifth decade of life, 794†
SLATE, W. G., *see* BRADBURY, J. T., 810†
SLATER, S. L., *see* PERLMUTTER, M., 672*
SLOAN, L. W.: Of the origin, characteristics and behavior of thyroid cancer, 1309*
SMELIN, A., *see* GRIBOFF, S. I., 378*
SMITH, D. C., *see* TOMPSETT, S. L., 922*
SMITH, E. K., and DE ALVAREZ, R. R.: Congenital adrenal hyperplasia: adolescent development, ovulation, menstruation and pregnancy under the influence of cortisone, 809†
SMITH, G. E., *see* GREER, M. A., 1374*
SMITH, R. W.; MELLINGER, R. C., and PATTI, A. A.: Adrenocortical response to low-dose ACTH stimulation in Cushing's syndrome, adrenogenital syndrome and normal subjects, 806†
——; MELLINGER, R. C., and PATTI, A. A.: Modifications of the Reddy procedure

for 17-hydroxycorticoids in urine (Letter to the Editor), 336*
SNIFFEN, R. C., *see* BURT, A. S., 719*
SOLOMON, D. H.: Studies of the fractional rate of release of hormonal iodine from the thyroid gland, 772†
SONENBERG, M.; MONEY, W. L., and RAWSON, R. W.: Localization of radioactivity in the rat prostate after the administration of labeled prolactin preparations, 832†
SONKIN, L. S., *see* CARTER, A. C., 775†
SOSKIN, S.: Henry S. Guterman—Obituary, 133
SOSTHEIM, R., *see* LLOYD, C. W., 788†
SPIRTOS, B. N.; INGRAM, W. R.; BOGDANOVE, E. M., and HALMI, N. S.: Increased insulin sensitivity in rats with hypothalamic lesions, and its interpretation, 790†
SPOONER, M., *see* WERNER, S. C., 768†
SPOONT, S., *see* LUKENS, F. D. W., 248*
SPRAGUE, R. G., *see* PARIS, J., 597*
——, *see* Questions & Answers, 974
SPRINKLE, P., *see* CRISPELL, K. R., 640*
STAFFORD, R. O.; BOWMAN, B. J., and OLSON, K. J.: Influence of 19-nortestosterone cyclopentylpropionate on the urinary nitrogen of the castrated male rat, 799†
STANBURY, J. B., and BROWNELL, G. L.: Multi-compartmented biologic models (Editorial), 1079*
——; GOLDSMITH, R. R., and GILLIS, MARGARET: Myotonic dystrophy associated with thyroid disease (Teaching Clinic), 1437*
——, *see* GODLEY, A. F., 70*
STANG, L. G., *see* HANBURY, E. M., 1530*
STARR, P., *see* Questions & Answers, 592
STASILLI, N. R., *see* KROC, R. L., 56*
STEINBERG, A.; SCHECHTER, F. R., and SEGAL, H. I.: True pituitary Addison's disease—A pituitary unitropic deficiency (fifteen-year follow-up), 1519*
STEWART, G. S.: Use of ethylenediamine tetra-acetate in the measurement of parathyroid gland function, 827†
ST. GOAR, *see* SAINT GOAR
STIDWORTHY, G. H., *see* KOCHAKIAN, G. H., 767†
STIMMEL, B. F.: Metabolism of the natural estrogens in men with Laennec's cirrhosis of the liver, 764†
——, *see* LANDAU, R. L., 1097*
STOUT, H., *see* HEANEY, R. P., 829†
STREETEN, D. H. P.; HIRSCHOWITZ, B. I., and POLLARD, H. M.: Effects of cortisone, DCA, ACTH, and adrenalectomy on gastric pepsinogen and on intestinal motility, 821†
STURGIS, S., *see* ABU-HAYDAR, N., 766†
SULMAN, G. F., *see* COHEN, A. M., 440*
SUTHERLAND, J. H. R., *see* BENNETT, L. L., 791†
SWEAT, M. L., and FARRELL, G. L.: Corticosteroid secretion following hypophysectomy, 782†
SZEGO, C. M., and WOLCOTT, D. C.: Aberrations of estrone metabolism in rat hepatoma, 796†

TAYLOR, D. J.; GREENBERG, J., JOSEPHSON, E. S., and NADEL, E. M.: Non-parallel changes in the cholesterol and ascorbic acid content of the adrenals of malaria-parasitized chicks, 822†
TAYLOR, S.: Calcium as a goitrogen, 1412*
THOMAS, H., *see* CATZ, B., 801†
THOMPSON, W. O.: Obituary, 699
THORN, G. W., *see* GOLDFEIN, A., 782†
——, *see* MUNSON, P. L., 495*
——, *see* Questions & Answers, 258, 1091, 1451
TIMIRAS, P. S.; AGARWAL, S., and WOODBURY, D. M.: Effect of thyroxine and triiodothyronine on electroshock seizure threshold in intact and adrenalectomized rats, 803†
TOKUYAMA, I.; LEACH, R. B.; SHEINFELD, S., and MADDOCK, W. O.; Depression of gonadotropin excretion as a method for assay of estrogens in human subjects, 509*
——, *see* LEACH, R. B., 887*
——, *see* MADDOCK, W. O., 766†
TOMPSETT, S. L., and SMITH, D. C.: The neutral steroids of human urine: the corticosteroid fractions, 922*
TOUCHSTONE, J. C.; RICHARDSON, E. M.; BULASCHENKO, H.; LANDOLT, I., and DOHAN, F. C.: Isolation of pregnane-3-alpha, 17-alpha,21-triol-20-one(tetrahydro compound S) from the urine of a woman with metastatic adrenocortical carcinoma (Letter to the Editor), 676*
TRUNNEL, J. B., and BOWMAN, W. E.: Interference with metabolism of C^{14}-labeled estrone in aminopterin-treated rats, 796†
TUCKER, W. D., *see* HANBURY, E. M., 1530*
TUREMAN, J. R., *see* BOOKER, W. M., 819†
TURNER, H. H., *see* SKEELS, R. F., 794†
TYAN, E. A., *see* SCHILLER, J., 828†
TYLER, F. H.; MIGEON, C.; FLORENTIN, A. A., and SAMUELS, L. T.; The diurnal variation of 17-hydroxycorticosteroip levels in plasma, 774†

——, *see* PERKOFF, G. T., 531*
——, *see* PLAGER, J. E., 780†

UPSON, M., *see* PARIS, J., 597*

VANARSDEL, P.; MILLER, R.; HOGNESS, J. R., and WILLIAMS, R. H.: Effect of certain metabolic alterations on the subcellular distribution of I^{131}-labeled thyroxine and triiodothyronine, 804†
——, *see* HOGNESS, J. R., 772†
VANDERLAAN, W. P., and CAPLAN, R.: On the mode of action of iodothiouracil, 232*
VAN DER VIES, *see* OVERBEEK, G. A., 681*
VAN DE WIELE, R.; JAILER, J. W.; GOLD, J. J., and LIEBERMAN, S.: Attempt at classification of types of hirsutism in women by chromatographic analysis of the urinary 17-ketosteroids, 776†
VAN LEEUWEN, L., *see* DEN OUDSTEN, S. A., 680*
VAN MIDDLESWORTH, L.; NURNBERGER, C. E., and LIPSCOMB, A.: Simplified sensitive test for thyroid function, using protein-bound I^{131}, 1056*
VAN WYK, J. J., *see* WILKINS, L., 1270*
VELARDO, J. T., *see* BURT, A. S., 979*
——, *see* HISAW, F. L., 763†, 1134*
VENNING, E. H.; CARBALLEIRA, A., and DYRENFURTH, I.: Excretion of sodium-retaining substances, 784†
VILAR, O., *see* DE LA BALZE, F. A., 798†
VILLAVERDE, M. M.: Undernourished patients treated with cortisone; remarkable effects in anorexia nervosa, 820†
VILLEE, C. A.: Effects of estradiol on the metabolism of human placenta, 764†
VOLK, B. W., *see* GOLDNER, M. G., 184*
VON EULER, U. S., *see* FRANKSSON, C., 608*

WAERHAUG, J., *see* ZANDER, H. A., 829†
WAYNE, H. L.: Convulsive seizures complicating cortisone and ACTH therapy: clinical and electroencephalographic observations, 1039*
WELHAM, W. C., *see* KYLE, L. H., 1029*
WERNER, S. C.: A case of pituitary myxedema (Teaching Clinic), 685*
——: The pituitary-thyroid relationship in Graves' disease (Editorial), 1260*
——: SPOONER, M., and HAMILTON, H.: Further evidence that Graves' disease is hyperthyroidism and not hyperpituitarism: effects of triiodothyronine and sodium iodide, 768†
——, *see* Questions & Answers, 591
WEST, C. D.; LI, M. C.; MACLEAN, J. P.; RALL, J. E., and PEARSON, O. H.; Physiologic effects of hypophysectomy in man, 786†
——, *see* KAPPAS, A., 777†
——, *see* PEARSON, O. H., 828†
——, *see* RALL, J. E., 769†
WEXLER, B., *see* LIDDLE, G. W., 808†
WEYAND, R. D., *see* KINSELL, L. W., 790†
WHITELAW, M. J.: Prevention by chlorpromazine of the nausea caused by estrogens and estrogen-like compounds, 795†
—— and ESCAMILLA, R. F.: Sublingual ergot alkaloids (Hydergine) in the treatment of vasomotor flushes, 794†
WILKINS, L., and CARA, J.: Further studies on the treatment of congenital adrenal hyperplasia with cortisone, V. Effects of cortisone therapy on testicular development, 287*
——; GRUMBACH, M. M., and VAN WYK, J. J.: Chromosomal sex in "ovarian Agenesis" (Letter to the Editor), 1270*
——, *see* Questions & Answers, 357, 695, 1275
WILLIAMS, C. B., *see* WOODBURY, D. M., 822†
WILLIAMS, R. H., *see* HOGNESS, J. R., 772†
——, *see* HYDE, P. M., 817†
——, *see* Questions & Answers, 259, 486
——, *see* VANARSDEL, P., 804†
WILSON, H.; FAIRBANKS, R., and SCIALABBA, D.: Metabolites of hydrocortisone and cortisone in synovial fluid in rheumatoid arthritis, 814†
WILSON, L. A., *see* DOBYNS, B. M., 1393*
WOLCOTT, D. C., *see* SZEGO, C. M., 796†
WOLF, J., and LOESER, A. A.: Testosterone therapy for fractures and certain malignant and nonmalignant bone conditions (Letter to the Editor), 107*
WOLFF, H. G., *see* HETZEL, B. S., 805†
WOLFSON, W. Q.: Gross inaccuracy of certain color reactions considered specific for dehydroepiandrosterone and derivatives in urine extracts (Letter to the Editor), 100*
——: Simple nonchromatographic methods for specific estimation of urinary metabolites of hydrocortisone, corticosterone and 17-OH-progesterone, 814†
——; COHN, C.; KENNEDY, J.; LEVY, R., and LEWIS, L.: Status of patients treated continuously with corticotropin for from three and one-half to over five years, 778†
——, *see* EAGLE, J. F., 816†
WOODBURY, D. M.; GOATES, D. T.; LEE, G. R.; WILLIAMS, C. B.; CALLISTER, P. S., and CRAIGHEAD, J. E.: Effect of cortisone on the distribution of radio-

iodine in control, thyroxine and TSH-treated rats, 822†
——, *see* Timiras, P. S., 803†
Woods, L. A., *see* Backer, D. V., 803†
Woolner, L. B., *see* Lev, R., 1355*
Wyant, E. L., *see* Kupperman, H. S., 793†

Zacco, M.; Richardson, E. M.; Crittenden, J. O.; Hollander, J. L., and Dohan, F. C.: Disposition of intra-articularly injected hydrocortisone acetate, hydrocortisone and cortisone acetate in arthritis. I. Concentrations in synovial fluid and cells, 711*
Zander, H. A.; Waerhaug, J., and Halberg, F.: Effect of hypophysectomy upon cyclic mitotic activity in the retromolar mucosa of rats, 829†
Zarrow, M. X.; Shoger, R. L., and Lazo-Wasem, E. A.: The rate of disappearance of exogenous progesterone from the blood, 645*
——; Sikes, D., and Neher, G. M.: Changes in the uterine cervix and vulva of the gilt following treatment with relaxin, 798†
——, *see* Perkoff, G. T., 531*
Ziel, H. K., *see* Hisaw, F. L., 763†
Zieve, L., *see* Schultz, A. L., 1062*
Zimmerman, L. M.; Shubik, P.; Baserga, R.; Ritchie, A. C., and Jacques, L.: Experimental production of thyroid tumors by alternating hyperplasia and involution, 1367*
Zimmermann, B.: Diabetes and gross lesions of the pancreas (Editorial), 481*
Zuchlewski, A., *see* Gaebler, O. H., 833†

SUBJECT INDEX TO VOLUME 14

* Original article.

† Abstract of paper presented at the Thirty-sixth Annual Meeting of the Endocrine Society.

ABNORMALITIES: *see also* Congenital anomalies; Familial; and under various endocrine glands

ABSTRACTS of papers presented at the 36th Annual Meeting of the Endocrine Society, San Francisco, California, June 1954, 763†

ACROMEGALY: *see* Pituitary disorders

ACTH: *see* Pituitary preparations, adrenocorticotropic hormone (ACTH)

ADDISON'S DISEASE: *see also* Adrenal
- —— ACTH in blood, 597*
- —— ACTH of blood in; "active" and "activable" fractions, 1144*
- —— adrenal responsiveness to ACTH in, 839*
- —— adrenocortical failure secondary to myxedema, 554*
- —— associated with thyroid insufficiency and atrophy (Schmidt syndrome), 540*
- —— blood in: *see also* Adrenal preps. & comps.: Blood
- —— carbohydrate metabolism in: *see also* Carbohydrate metabolism
- —— effect of ACTH and cortisone on metabolism of ascorbic acid in, 1006*
- —— effect of ACTH and KI on Porter-Silber chromogens in, 1263*
- —— effect of chlorohydrocortisone acetate in, 782†
- —— effect on carbonic anhydrase inhibitor, 820†
- —— electrolyte metabolism in: *see also* Electrolytes
- —— eosinophils in: *see also* Blood, cells
- —— growth of axillary hair and 17-KS excretion in males *vs.* females with, 897*
- —— in boy with hypoparathyroidism, 653*
- —— pigmentation in; endocrine control of MSH metabolism in; effect of cortisone, 789†, 1463*, 1491*
- —— psychologic changes during treatment with cortisone (Teaching Clinic), 344*
- —— sodium-retaining corticoid in urine of, 1086*
- —— therapy: *see also* Adrenal preps. & comps.; Questions & Answers
- —— true pituitary Addison's disease—a pituitary unitropic deficiency; effect of ACTH on pigment in, 1519*

ADDISON'S DISEASE (*cont.*)
- —— urine in: *see also* Adrenal preps. & comps.; Steroids

ADRENALINE: *see* Adrenal preps. & comps.

ADRENAL
DISORDERS
- —— Addison's disease: *see* Addison's disease
- —— adrenal failure in case of pituitary myxedema, 685*
- —— adrenocortical hyperplasia, congenital; long-term cortisone therapy in, 389*
- —— adrenogenital syndrome; ACTH of blood in, 597*
- —— adrenogenital syndrome; hilar-cell proliferation in, 245*
- —— adrenogenital syndrome; metabolism of adrenal steroids in, 409*
- —— adrenogenital syndrome; partial characterization of C-21 steroids in urine of, 778†
- —— adrenogenital-Cushing syndrome, 961*
- —— Cushing's syndrome: *see* Cushing's syndrome
- —— hyperadrenocorticism and Stein-Leventhal syndrome, 766†
- —— hyperadrenocorticism; diagnosis of 781†
- —— hyperplasia of, congenital, in female; ovarian function & pregnancy during cortisone therapy, 809†
- —— hyperplasia of, congenital, treated with cortisone, 287*
- —— hyperplasia of; growth of axillary hair, and 17-KS excretion in, 897*
- —— hyperplasia of, in female; case with unusual findings, 810†
- —— insufficiency (adrenalect'd rats); effect of triiodothyronine & thyroxine on electroshock seizure threshold in, 803†
- —— insufficiency (bilat'y adrenalect'd subjects); MSH in blood & urine of, 1463*, 1491*
- —— pheochromocytoma; urinary corticoids in, 678*
- —— therapy: *see also* Questions & Answers
- —— tumor, benign, estrogen-secreting, in male; gynecomastia & hypogonadism resulting from, 1097*

ADRENAL (*cont.*)
PHYSIOLOGY & PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preparations
—— adrenal ascorbic-acid depleting activity of a potent steroidogenic ant. pituitary fraction, 808†
—— adrenal-pituitary and CH response to 30 per cent CO_2 in air and in oxygen, 823†, 824†
—— adrenals; radiographic visualization of, 805†
—— adrenocortical function, as studied in g. pigs, 818†
—— adrenocortical function; simplified test for, using corticotropin gel, 806†
—— adrenocortical response to low-dose stim. with ACTH in Cushing's and adrenogenital syndromes, 806†
—— ascorbic-acid and cholesterol content of, in malarial chicks, 822†
—— ascorbic-acid depletion of, in assay of blood ACTH fractions in man, 1144*
—— effect of ACTH on (histology) in nephrotic syndrome & rheum. fever, 1023*
—— function; electrolyte content of sweat in study of, 1126*
—— in Klinefelter's syndrome (autopsy), 719*
—— Is there an adrenal growth factor? 839*
PREPARATIONS & COMPOUNDS
—— adrenal steroids, local admin, of; histochemical reaction of c. tissue to, 817†
—— adrenal steroids; permissive role in protein anabolism, 824†
—— adrenaline & noradrenaline; effect on melanin pigment and MSH metabolism, 1463*, 1491*
—— adrenocortical hormones: *see also* Questions & Answers
—— adrenocortical hormones; "permissive" dose of, 1272*
—— adrenocortical steroids; effect on androgen excretion by adrenalect'd orchidect'd men, 495*
—— 4-C^{14}-17-hydroxycorticosterone, i.v.; metabolism of, 780†
—— C-21 steroids of urine in adrenogenital syndrome; partial character'n of, 778†
—— chlorohydrocortisone acetate; a highly potent derivative of compound F, 782†
—— compounds E and F: *see* separate Adrenal category "Cortisone & Hydrocortisone"
—— cortical steroid hormone accel. of neoglucogenesis from fat, in diabetics, 161*
—— corticoid and dehydroisoandrosterone excretion in male with gynecomastia & hypogonadism assoc'd with estrogen-secreting adrenal tumor, 1097*
—— corticoid conjugates; detection of, in human blood, 341*, 815†
—— corticoid, KS, eosinophil & U/C response to ACTH in various clinical conditions, 297*
—— corticoid, sodium-retaining, in human urine, 783†, 812†
—— corticoid, sodium-retaining, in urine of normal children & adults with hypoadrenalism or hypopituitarism, 1086*
—— corticoids of blood & steroid metabolism in adrenogenital syndrome, 409*
—— corticoids, urinary; effect of hypophysectomy on, in Cushing's syndrome, 205*
—— corticoids, urinary, in pheochromocytoma, 678*
—— corticosteroid fractions of human urine, 922*
—— corticosteroid secretion following hypophysectomy, 782†
—— corticosteroids; interrelation with liver glycogen & ascorbic acid in scorbutic g. pigs, 805†
—— corticosterone; probable predominance in adrenocortical secretion of premature infants, 816†
—— *cortisone; see* separate Adrenal category "Cortisone & Hydrocortisone"
—— dehydroisoandrosterone & androsterone-etiocholanolone in plasma; measurement of, 778†
—— desoxycorticosterone; effect on BP of rats with varied intakes of K & Na, 661*
—— desoxycorticosterone; effect on hemodynamics & electrolyte balance in normal pregnancy, 109*
—— 11-desoxycorticosterone; some compounds related to; high electrolyte activity of, 813†
—— 17,21-dihydroxy-20-ketosteroids; lack of specificity of Porter-Silber reaction for, 1263*
—— electrocortin studies, 783†, 812†

ADRENAL (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— epinephrine and norepinephrine; excretion of, in surgical and allied conditions, 608*
—— epinephrine; effect of, on subcellular distrib. of I^{131}-labeled thyroxine & triiodothyronine, 804†
—— formaldehydogenic steroids in Cushing's syndrome, pre- & postop., 961*
—— hormones, endogenous; role in effect of systemic stress (adrenalect'd rats), 997*
—— *hydrocortisone: see* separate Adrenal category "Cortisone & Hydrocortisone"
—— 17-hydroxycorticosteroids
— and 17-KS; response to ACTH in true pituitary Addison's disease, 1519*
— estimation of, in peripheral human blood, 746*
— excretion of, during stressful experiences, 805†
— in diagnosis of states of adrenocortical activity, 775†
— of blood, and eosinophils; changes in, after whole body x-irrad. of monkey, 816†
— of blood, and leukocytes; effects of i.v. ACTH on, 423*
— of blood; effect of relaxin on, 531*
— of blood, in surgical & allied conditions, 608*
— of plasma and urine; diurnal variations in, 774†, 774†
— of urine, in improved simplified assay of ACTH, using normal male subjects, 807†
— of urine, in study of factors enhancing adrenal response to ACTH, 839*
— of urine; modification of Reddy procedure for, 336*
—— ketosteroids of urine; androgenic *vs.* colorimetric assay; males & females, 452*
—— metabolites: *see also* Questions & Answers
—— neutral steroid hormones; *in vivo* metabolism of, 318*
—— pregnane-3-alpha, 17-alpha, 21-triol-20-one (tetrahydro compound S), estrogens, & 17-KS in urine of woman with metast. adrenocortical cancer, 676*
—— preparations; effects of: *see also* Questions & Answers

ADRENAL (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— steroid studies; evidence for adrenocortical dysfunction in female hirsutism, 777†
—— steroid-forming neoplasma, 809†
—— the steroid, 11-β-hydroxylase, 780†
Cortisone & Hydrocortisone
——, ACTH and TSH; effect on corticosteroid excretion in pituitary insuff. plus diabetes, 1046*
—— and DCA; influence on water & electrolyte excretion in man, 825†
—— and DCA; role in effecting survival after stress in adrenalect'd mouse, 819†
—— and growth hormone; comparison of diabetogenic actions in different species, 837†
—— ascorbic acid and glutathione; metabolic relations of, in survival of mice during cold stress, 819†
—— compound F infusion; effect of i.v. glucose on pyruvate during; studies in stress, 791†
—— cortisone-resistant abnormality in diuretic response to ingested water in primary myxedema, 640*
——, DCA, ACTH & adrenalectomy; effect on gastric pepsinogen & intest. motility in rats, 821†
—— effect of, following hypophysectomy in man, 786†
—— effect on adrenals and pituitaries (histology) of children with acute leukemia, 910*
—— effect on adrenals (histology) in nephrotic syndrome & rheum. fever, 1023*
—— effect on ascorbic acid of blood & urine in man, 1006*
—— effect on distrib. of I^{131} in thyroxine & TSH-treated rats, 822†
—— effect on lower incisors of newborn rats, 824†
—— effect on metabolic balance following alleviation of Cushing's syndrome, 776†
—— effect on phosphate excretion in boy with hypoparathyroidism & Addison's disease, 653*
—— effect on pregnant women and fetuses, 779†
—— effect on urinary excretion of histamine, 707*
—— female rats treated with; sexual development in, 821†
—— hydrocortisone acetate, hydrocortisone & cortisone acetate in-

ADRENAL (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
Cortisone and Hydrocortisone (cont.)
jected intra-articularly for arthritis. II. Concentrations in synovial fluid & cells, 711*
—— hydrocortisone and cortisone; effect on melanin pigmentation & metabolism, 1463*, 1491*
—— hydrocortisone and cortisone; metabolites of, in synovial fluid in rheum. arthritis, 814†
—— hydrocortisone-4-C^{14}; excretion of, 817†
—— hydrocortisone, corticosterone and 17-OH-progesterone; urinary metabolites of; simple nonchrom. methods for estimation of, 814†
—— hydrocortisone; enhancement of activity of, by substit. of halogen atom in the 9-alpha position, 813†
—— metabolic response to; effects of variations in amino-acid and CH intakes on, 837†
—— or adrenalectomy; effect in young, fat-deficient male rats, 823†
—— potentiating effect on diuretic action of choline theophyllinate, 825†
—— suppression of adrenal activity by; failure of MAD to inhibit, 810†
—— therapy; convulsive seizures complicating (EEG's), 1039*
—— therapy in Addison's disease; psychologic changes during (Teaching Clinic), 344*
—— therapy in congenital adrenal hyperplasia, 287*, 389*, 809†
—— therapy in localized thyrotoxic myxedema, 561*
—— therapy in struma lymphomatosa, 79*
—— undernourished patients treated with; effects in anorexia nervosa, 820†
ADAPTATION, diseases of; experimental model illustrating, 997*
AGE: *see also* Children; Infants; Geriatrics
—— aging in normal men. II. Androgenic activity of ur. ketosteroids & fractions; comparison with colorimetric assays, 139*
—— aging, premature: *see* Progeria
—— effect on neutral steroids of urine, 922*
—— in relation to thyroid cancer, 1309*, 1336*, 1362*
ALKALI
—— effect on MSH, 1463*
—— ulcer therapy; relationship to hyperparathyroidism, 1569*
ALKALINE PHOSPHATASE: *see* Enzymes
ALKALOSIS, renal insufficiency & hypercalcemia secondary to excessive intake of Sippy powders (Teaching Clinic), 1074*
ALBINOS: *see* Pigment
ALOPECIA: *see* Hair
ALUMINUM hydroxide as adsorbing agent for urinary gonadotropins, 666*
AMENORRHEA: *see* Menstruation
AMERICAN ACADEMY OF ARTS & SCIENCES; announcement of Francis Amory Septennial Prize, 1580
AMERICAN DIABETES ASSOCIATION
—— Annual Meeting, San Francisco, California (one joint session with The Endocrine Society)
— program, 491
— abstracts of program papers, 790†
AMERICAN GERIATRICS SOCIETY
—— 1954 Annual Meeting, 364
—— 1954 Graduate Symposium on Geriatric Medicine, 1096
AMERICAN GOITER ASSOCIATION
Annual Meetings
—— Apr.–May 1954, Boston, Mass.; announcements of, 137, 264, 362, 492; program, 362
—— April 1955, Oklahoma City; announcements of, 978, 1096, 1284, 1457, 1579
Awards (Van Meter Prize; Award of Merit; Awards for Meritorious Service)
—— for 1954; announcement of, 137; recipients of, 1458
—— for 1955; announcements of, 1284, 1457, 1579
AMERICAN SOCIETY FOR THE STUDY OF STERILITY; 1954 Convention, 596
AMINO ACIDS: *see* Protein
AMINOPTERIN-treated rats; interference with metabolism of C^{14}-labeled estrone in, 796†
ANABOLIC: *see also* Protein; Androgen
—— and catabolic hormonal agents; technique for quant. evaluation of, 833†
—— effect of various pituitary growth hormone preparations, 832†
ANDROGENS: *see also* Testis; Steroids
—— androgen-estrogen combination; effects of, 795†
—— androgenic activity of ur. ketosteroids & fractions in aging men; comparison with colorimetric assays, 139*
—— androgenic activity per mg. of colori-

ANDROGENS (*cont.*)
metrically measured KS of urine in males and females, 452*
—— C-19 steroids; *in vivo* metabolism of, 318*
—— classification of testicular disorders (Editorial), 1560*
—— dehydroepiandrosterone and derivatives in urine; inaccuracy of some color reactions for, 100*
—— effect of: *see also* Questions & Answers
—— effect on axillary hair growth and 17-KS excretion, 897*
—— effect on β-glucuronidase of kidney, 767†
—— excretion of, by adrenalect'd orchidect'd men; effect of adrenocortical steroids on, 495*
—— excretion of: *see also* Steroids
—— metabolism of; role of various tissues in, 767†
—— methylandrostenediol; failure of, to inhibit adrenal suppression by cortisone, 810†
—— methyltestosterone therapy: *see also* Questions & Answers
—— methyltestosterone used for stimulation of growth, 255*
—— 18-nortestosterone cyclopentylpropionate; influence on urinary N of castrated male rat, 799†
—— stanolone; metabolism of, in agonadal male, 472*
—— stimulation of: *see* Gonadotropins
—— testosterone isobutyrate and phenylacetate; long-acting androgenic effects of, 800†
—— testosterone therapy for fractures & certain bone disorders, 107*
—— testosterone therapy: *see also* Questions & Answers
—— water-soluble; hemolytic properties of, 244*
"ANESTHESIA" following administration of progesterone, 1567*
ANGIOMATA: *see* Vascular system
ANNOUNCEMENTS: *see* Endocrine Society; Am. Acad. of Arts & Sciences; Am. Diabetes Assoc.; Am. Geriatrics Soc.; Am. Goiter Assoc.; Am. Soc. for Study of Sterility; Assoc. of Military Surgeons; Harvard Medical School; Henry Ford Hospital; Laurentian Hormone Conference; Pan-American Congress; U. S. Pharmacopoeial Convention
ANNUAL MEETINGS: *see* Announcements; and under name of Society
ANOREXIA NERVOSA: *see* Nutrition
ANSWERS: *see* Questions & Answers
ANTIDIURETIC HORMONE: *see* Kidney; Pituitary preparations, vasopressin
ANTIENZYMES: *see* Enzymes, inhibitors
ANTIHORMONES: *see also* specific hormone involved
—— sensitive assay method for, employing chor. gonadotropin, 766†
—— formation: *see also* Questions & Answers (Dec.)
ANTIGOITROGENIC: *see* Antithyroid; Thyroid disorders
ANTIHYALURONIDASE: *see* Enzymes
ANTITHYROID DRUGS: *see also* Mercapto comps.; Thiouracil & thio comps.; Thyroid disorders
—— antigoitrogenic & calorigenic assay of thyroid compounds, by diff. routes of admin. in rats, 56*
—— goitrogen; calcium as; effect of low-iodine intake on, 1412*
—— granulocytopenic reactions to, in man, 801†
—— Mercazole & Neo-mercazole; antithyroid activity & toxicity of, 1230*
—— plus roentgen irrad., in treatment of hyperthyroidism, 939*
—— potassium perchlorate as, 70*
ARTERIES: *see* Vascular system
ARTHRITIS
—— effect of ACTH & cortisone on metabolism of ascorbic acid in, 1006*
—— effect of relaxin in, 531*
—— intra-articular hydrocortisone acetate, hydrocortisone & cortisone acetate; comparison of conc. in synovial fluid & cells, 711*
—— metabolites of hydrocortisone & cortisone in synovial fluid of, 814†
—— results of continuous treatment with corticotropin for 3¼–5 years, 778†
—— treated with corticotropin-zinc, 680*
ASCORBIC ACID: *see* Vitamin C
ASSOCIATION OF MILITARY SURGEONS OF U. S.; Annual Convention, 1285
ASTATINE
—— accumulation & destructive action of, in thyroids of rats & monkeys, 1161*
—— thyroidal uptake of, in the rat; influence of thiouracil on; comparison with I^{131}, 1149*
AUTHOR INDEX to Volume 14, 1581
AWARDS: *see* Endocrine Society; Am. Acad. of Arts & Sciences; Am. Goiter Assoc.
AYERST, MCKENNA & HARRISON FELLOWSHIP: *see* Endocrine Society, awards
AZOOSPERMIA: *see* Testis

BASAL METABOLISM
—— correlation with I^{131} uptake and

BASAL METABOLISM (*cont.*)
PBI, 45*
—— during treatment of hyperthyroidism with K perchlorate, 70*
—— effect of antithyroid drugs on: *see* Antithyroid drugs
—— effect of iodine preparations on: *see* Iodine; Thyroid disorders
—— effect of thyroid compounds on: *see* Thyroid preparations
—— in various endocrinopathies: *see* specific endocrine gland (*e.g.*, Thyroid)
BEHAVIOR: *see* Brain; Mental; Nervous system
BENEMID: *see* Probenecid
BLOOD: *see also* under constituent or under disorder involved
—— ACTH: *see* Pituitary preparations, ACTH
—— astatine: *see* Astatine
—— calcium: *see* Calcium: Electrolytes
—— cells: *see* separate category, Blood—cells
—— chloride: *see* Electrolytes: Sodium
—— cholesterol: *see* Cholesterol; Lipids
—— copper: *see* Copper
—— corticoids: *see* Adrenal preps. & comps.
—— disorders: *see* Blood, cells
—— electrolytes: *see* Electrolytes
—— enzymes: *see* Enzymes
—— eosinophils: *see* Blood cells, eosinophils
—— estrogens: *see* Estrogens
—— exophthalmos-producing substance: *see* Eyes
—— glucose: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— gonadotropin, chorionic: *see* Gonadotropins; Pregnancy
—— hemolytic properties of water-soluble androgens, 244*
—— 17-hydroxycorticosteroids: *see* Adrenal preps. & comps.
—— iodine: *see* Iodine
—— lipids: *see* Lipids
—— melanocyte-stimulating hormone (MSH): *see* Pigment
—— phosphorus: *see* Phosphorus
—— plasma; augmenting effect, applied in measurement of plasma chorionic gonadotropin, 887*
—— potassium: *see* Potassium: Electrolytes
—— pressure: *see* Vascular system
—— progesterone: *see* Progesterone
—— protein: *see* Nitrogen; Protein; Iodine (PBI)
—— relaxin: *see* Relaxin

BLOOD (*cont.*)
—— sugar: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— TSH: *see* Pituitary preparations, TSH
—— vessels: *see* Vascular system
CELLS
—— granulocytopenia following use of antithyroid drugs, 948*
—— granulocytopenic reactions to antithyroid compounds, 801†
—— leukocytes and 17-OH-CS; effect of i.v. ACTH on, 423*
—— leukocytes; effect of I^{131} on, 1300*
—— leukemia, acute; children with; effect of ACTH & cortisone on adrenals & pituitaries of (histology), 910*
—— leukemia, lymphatic; hypothalamus in (autopsy), 829†
—— polycythemia in hypophysectomized rats, produced by pituitary erythropoietic factor, 831†
Eosinophils
—— changes in, after whole body x-irrad. of monkey, 816†
—— diurnal variations in; correlation with those of 17-OH-CS, 774†
—— during continuous i.v. infusion of small doses of ACTH, 440*
—— effect of ACTH on in various clinical conditions, 297*
—— effect of MSH on, 1463*
—— following ACTH in hypothyroidism with incomplete growth, 1551*
—— following admin. of corticotropin-zinc, 680*, 681*
—— in determination of adrenal-pituitary & CH response to 30 per cent CO_2 in air & in oxygen, 823†, 824†
—— in surgical & allied conditions, 608*
—— response to ACTH in true pituitary Addison's disease, 1519*
BODY
—— fat; estimation of (Editorial) 969*
—— fat, water, solids & specific gravity during admin. of TSH & thyroid, 1029*
—— fluids: *see* Blood; Sweat; Synovial fluid; Urine
—— growth and weight: *see* Children; Dwarfism; Infants; Nutrition; Pituitary preparations, growth hormone
—— temperature: *see* Temperature; Stress
—— tissues: *see* Tissues; and under organ involved

BONE: *see also* Calcium; Parathyroid; Phosphorus
—— age, in progeria, 735*
—— disease; mechanism of, in hypophosphatemic glycosuric osteomalacia, 365*
—— disorders; *see also* Questions & Answers
—— epiphyses in hypothyroidism with incomplete growth; effect of thyroid, 1551*
—— fractures and certain disorders of; testosterone therapy for, 107*
—— in 13 cases of goitrous hypothyroidism, 869*
—— joints: *see also* Joints; Arthritis
—— metastases from Ca of breast; hypercalcemia secondary to; correlation with alk. phosphatase, 378*
—— osteoporosis in "pure" *vs.* adrenogenital Cushing's syndrome, 961*
—— phosphate-losing osteomalacia; paradoxical relief by large doses of vitamin D in female dwarf, 785†
BOOKS RECEIVED: 492, 705, 1461
BOOK REVIEW, 1286
BRAIN: *see also* Hypothalamus: Mental; Nervous system
—— electroencephalogram in hypoparathyroidism, 1069*
—— electroencephalographic abnormalities in hyperthyroidism, 1511*
—— electroencephalographic observations on convulsive seizures complicating cortisone & ACTH therapy, 1039*
—— hypothalamus: *see* Hypothalamus
BREAST: *see also* Menstruation; Ovary
—— cancer, advanced; effect of hypophysectomy in, 827†, 828†
—— cancer; corticoid & 17-KS excretion in, 297*
—— cancer, with metastases to bone; hypercalcemia secondary to; relation to alk. phosphatase, 378*
—— disorders of: *see also* Questions & Answers
—— galactorrhea, amenorrhea & low FSH *vs.* acromegaly & normal lactation, 265*
—— gynecomastia & retarded sexual development in male, resulting from long-standing estrogen-secreting adrenal tumor, 1097*
—— lactation, hormonally induced, in male rats, 831†
—— lactation, post partum; use of TACE for suppression of, 339*
—— prolactin: *see* Pituitary preparations
—— tumors of, in rat, following single i.v. admin, of astatine, 1161*
BOILING OIL and barbers' chairs, 1385*
BROMINE: *see* Halogens
BRUCELLOSIS orchitis: *see* Testis
C^{14}: *see* Radioactive
CALCIUM: *see also* Bone; Electrolytes; Parathyroid
—— as a goitrogen; relation to iodine intake, 1412*
—— effect of calcium gluconate on excretion of calcium and P in idiopathic hypoparathyroidism, 278*
—— hypercalcemia, alkalosis & renal insufficiency following excessive intake of Sippy powders (Teaching Clinic), 1074*
—— hypercalcemia secondary to bone metastases from Ca of breast; relation to alk. phosphatase, 378*
—— in hypophosphatemic glycosuric osteomalacia, 365*
—— intravenously, as aid in diagnosis of hyperparathyroidism, 830†
—— metabolism following injection of ethylenediamine tetra-acetate (calsol) into thyroparathyroidectomized dogs, 827†
—— of serum in hypoparathyroidism; effect of therapy, 1069*
CANCER: *see also* Tumors; and under specific organ involved
—— adrenocortical, metastatic, with Cushing's syndrome; lack of effect of hypophysectomy on, 205*
—— children; prognosis for cancer of thyroid in, 1309*
—— hypophysectomy for: *see also* Pituitary, physiology & pathology
—— I^{131} in study and treatment of: *see* Iodine, radioactive
—— mammary: *see* Breast
—— skeletal metastases; effect of testosterone on, 107*
—— therapy: *see also* Androgens; Estrogens; Radioactive; Roentgen ray
CARBETHOXYTHIO-METHYL-GLYOXALINE (Neo-mercazole): *see* Thiouracil and thio compounds
CARBOHYDRATE METABOLISM: *see also* Diabetes mellitus; Insulin; Pancreas
—— carbohydrate intake; effect of variations in, on metabolic response to cortisone, 837†
—— effect of MSH on, 1463*
—— glucose tolerance curve & serum inorg. phosphate in pituitary disorders, 828†
—— glycogen of muscle; effect of ACTH & growth hormone on, in hypophysect'd rat, 834†

CARBOHYDRATE METABOLISM (*cont.*)
—— glycoproteins of ground substance; solubility of, related to cell growth in prostatic tissue, 1113*
—— glycosuric hypophosphatemic osteomalacia; mechanism, 365*
—— hypoglycemia (Teaching Clinic), 248*
—— hyperglycemic glycogenolytic factor (HGF) of pancreas; effect of alpha-cell destruction on, 184*
—— in true pituitary Addison's disease, 1519*
—— in undiagnosed endocrinometabolic syndrome, 193*
—— neoglucogenesis from fat in diabetes; accel. of, by cortical steroid hormones, 161*
—— polysaccharide level of serum in rat; effect of hypophysectomy & growth hormone on, 834†
—— response of, to 30 per cent CO_2 in air & in oxygen, 824†
CARBON: *see* Carbohydrate metabolism; and Radioactive, C^{14}
CARBON DIOXIDE
—— tension, alveolar, during pregnancy & early puerperium, 522*
—— 30 per cent, in air & in oxygen; adrenal-pituitary & CH metabolic response to, 823†, 824†
CARBONIC ANHYDRASE: *see* Enzymes
CARCINOMA: *see* Cancer; and under specific organ involved
CATARACTS: *see* Eyes
CAT-SCRATCH thyroiditis treated with TSH, 742*
CHILDREN: *see also* Growth; Infants; and under various endocrine disorders
—— congenital disorders: *see* Congenital anomalies
—— course in endocrine disorders of; Harvard Medical School, 596
—— normal; sodium-retaining corticoid in urine of, 1086*
—— prognosis for cancer of the thyroid in, 1309*
—— with acute leukemia; effect of ACTH & cortisone on adrenals and pituitaries of (histology), 910*
—— with nephrotic syndrome & rheum. fever; effect of ACTH on adrenals in (histology), 1023*
CHILE, goiter in, 800†
CHLORIDE (salt): *see* Electrolytes; Sodium
CHLORINE: *see* Halogens
CHLOROHYDROCORTISONE: *see* Adrenal preps. & comps.
CHLOROTRIANISENE (TACE): *see* Estrogens
CHLORPROMAZINE in prevention of the nausea caused by estrogens, 795†
CHOLESTEROL: *see also* Lipids
—— content *vs.* ascorbic-acid content of adrenals of malarial chicks, 822†
—— of blood during high dosage of propylthiouracil in hyperthyroidism, 1403*
—— of blood in 13 cases of goitrous hypothyroidism, 869*
—— of serum; effect of methimazole on, in hyperthyroidism, 948*
—— of serum, in family of goitrous cretins, 747*
—— of serum, in hyperthyroidism studied by EEG, 1511*
—— of serum, in hypothyroidism with incomplete growth, 1551*
CHOLINE theophyllinate; potentiating action of cortisone on diuresis produced by, 825†
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMATOGRAPHY: *see* Methods
CHROMOPHOBE ADENOMA: *see* Pituitary disorders
CIBA AWARD: *see* Endocrine Society
CIRRHOSIS: *see* Liver
CLIMACTERIC: *see also* Estrogens; Menstruation; Ovary
—— castrated & postmenopausal women; assay of estrogens in, by depression of gonadotropin excretion, 509*
—— menopause and myxedema; FSH excretion in; effect of thyroxine, 928*
—— TACE in the treatment of, 272*
—— therapy: *see also* Questions & Answers
—— vasomotor flushes; treatment of, with sublingual ergot alkaloids, 794†
—— vasomotor symptoms; control of, with pituitary luteinizing factor & c. gonadotropin, 763†
CLINICS, Teaching: *see* Teaching Clinics
CLOSTRIDIUM WELCHII toxin in study of ground substance of prostate, 1113*
COBALT; destruction of alpha cells of pancreas by; effect on HGF, 184*
COLD: *see* Stress
COLLAGEN: *see* Tissues
COMMITTEE, PUBLICATIONS, of the Endocrine Society: *see* Endocrine Society
COMPOUNDS E and F: *see* Adrenal preps. & comps., cortisone & hydrocortisone
"CONDITIONING" versus "permissive" actions of hormones (Editorial), 122*
CONFERENCE: *see* Laurentian
CONGENITAL ANOMALIES: *see also* Familial; Hermaphrodism; and under various endocrine glands
—— congenital adrenal hyperplasia: *see* Adrenal disorders
—— in pseudohypoparathyroidism 1069*

CONGENITAL ANOMALIES (*cont.*)
—— inborn error of metabolism; hypothyroidism as, 869*
—— supernumerary digits in mother (and child) with myotonic dystrophy & thyroid Ca, 1437*
CONGRESS: *see* Pan-American
CONNECTIVE TISSUE: *see* Tissues
CONTENTS of Volume 14, page i (December)
CONVENTIONS: *see* Announcements
CONVULSIONS: *see* Brain; Nervous system
COPPER, of serum; effect of MSH on, 1463*
CORTICOIDS; CORTICOSTEROIDS: *see* Adrenal preps. & comps.; Steroids
CORTISONE: *see* Adrenal preps. & comps.
COUNCIL of the Endocrine Society: *see* Endocrine Society
COURSE: *see* Harvard Medical School
CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CRYPTORCHIDISM: *see* Testis disorders, hypogonadism
CUSHING'S SYNDROME: *see also* Adrenal disorders; Pituitary disorders
—— ACTH in blood, 597*
—— ACTH in urine, 154*
—— adrenal responsiveness to ACTH in, 839*
—— effect of relaxin in, 531*
—— evaluation of diagnostic criteria in, 775†
—— metabolic pattern following surgical alleviation of, 776†
—— metastatic adrenocortical carcinoma; lack of effect of hypophysectomy on, 205*
—— rate of growth of axillary hair, and 17-KS excretion in, 897*
—— response to low-dose stimulation with ACTH in, 806†
—— role of parathyroids in; need for further study, 811†
—— therapy: *see also* Questions & Answers
—— vagaries in symptomatology of (Teaching Clinic), 961*
CYSTINE, radioactive: *see* Radioactive

DEHYDRO(EPI)(ISO)ANDROSTERONE: *see* Adrenal preps. & comps.; Androgens
DESOXYCORTICOSTERONE (DCA): *see* Adrenal preps. & comps.
DIABETES INSIPIDUS: *see also* Pituitary disorders
—— associated with hypothalamic disorders, 13*
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin; Pancreas
—— American Diabetes Association: *see* Am. Diabetes Assoc.
—— and gross lesions of the pancreas (Editorial), 481*
—— associated with myxedema & myotonic dystrophy, 1437*
—— associated with pituitary insufficiency, 1046*
—— diabetogenic action of cortisone & growth hormone; comparison of, in different species, 837†
—— diabetic malignant vascular disease; effect of hypophysectomy on, 790†
—— glucose tolerance: *see also* Carbohydrate metabolism
—— neoglucogenesis from fat in; accel. of, by cortical steroid hormones, 161*
—— prediabetic syndrome; large babies & the (pre)diabetic father, 177*
—— severe, in Cushing's syndrome; unchanged by hypophysectomy, 205*
—— sugar tolerance: *see also* Carbohydrate metabolism
—— therapy: *see also* Questions & Answers
DIET: *see also* Nutrition; Vitamins
—— low-iodine; effect on goitrogenicity of calcium, 1412*
DISEASES OF ADAPTATION; experimental model illustrating, 997*
DIURESIS: *see* Kidney; Pituitary preparations, vasopressin; Water
DUODENAL ULCER: *see* Gastro-intestinal tract
DWARFISM: *see also* Growth; Syndromes; and associated with various endocrine disorders
—— cretinism: *see also* Thyroid disorders, hypothyroidism
—— female; relief of phosphate-losing osteomalacia in, by large doses of vitamin D, 785†
—— in 13 cases of goitrous hypothyroidism, 869*
—— pituitary: *see* Pituitary disorders
—— short children; stimulation of growth in (Editorial), 255*
—— therapy: *see also* Androgens; Estrogens; Growth; Pituitary preparations, growth hormone; Questions & Answers
DYNAMIC ANALYSIS of iodine metabolism, 1423*

ECLAMPSIA: *see* Pregnancy
EDITOR, Letters to: *see* Letters to the Editor
EDITORIAL BOARD & EDITOR of the Journal: *see* Endocrine Society

EDITORIALS, 122*, 255*, 353*, 481*, 588*, 690*, 756*, 969*, 1079*, 1260*, 1444*, 1560*
EDUCATION for Research (Editorial) 588*
ELASTIC fibers: *see also* Tissues
—— in tunica propria of normal & pathologic testes, 626*
ELECTROCARDIOGRAM: *see* Heart
ELECTROCORTIN: *see* Adrenal preps. & comps.; Electrolyte
ELECTROENCEPHALOGRAM (EEG): *see* Brain
ELECTROLYTE: *see also* under specific chemical element involved; and under various endocrine disorders
—— activity of some compounds related to 11-desoxycorticosterone, 813†
—— and water excretion in man; influence of cortisone & DCA on, 825†, 825†
—— disturbances in metabolism of; relation to convulsive seizures following therapy with cortisone & ACTH, 1039*
—— during continuous i.v. infusion of small doses of ACTH, 440*
—— effect of DCA on, in normal pregnancy, 109*
—— electrocortin; apparent identity with sodium-retaining corticoid of human urine, 812†
—— excretion; effect of stanolone on, in agonadal male, 472*
—— excretion in boy with hypoparathyroidism & Addison's disease, 653*
—— excretion of; effect of growth hormone on, in hypophy'd & intact rats, 835†, 835†, 835†
—— hypochloremia, hypokaliemia & hypercalcemia following excessive intake of Sippy powders, 1074*
—— of serum; effect of melanocyte-stim'g hormone on, 1463*
—— of serum, unchanged following hypophysectomy in Cushing's syndrome, 205*
—— of sweat; control of variable influences & their application to clinical study of adrenal function, 1126*
ELECTRON microscopy: *see* Methods
ELECTROSHOCK: *see* Nervous system
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and under various endocrine glands (preps. & comps.)
—— and other clinical manifestations of hypothalamic disease, 1*, 13*
—— control of induced hepatic enzyme system, 789†
—— control of melanin pigmentation; mechanism of, 1463*
—— diseases and therapy: *see also* Questions & Answers
ENDOCRINE (*cont.*)
—— endocrinometabolic syndrome, undiagnosed; report of 2 cases, 193*
—— glands (autopsy), in study of pituitary cytology in relation to tropic hormones, 979*
—— glands in Klinefelter's syndrome (autopsy), 719*
—— pediatric endocrine & metabolic disorders; Harvard Med. School course in, 596
—— Society: *see* Endocrine Society
—— studies on nephrectomized dog, 784†
ENDOCRINE SOCIETY
ABSTRACTS
—— of papers presented at 36th Anual Meeting (1954), San Francisco, California, 763†
ANNUAL MEETINGS
—— *Thirty-sixth*, San Francisco, California, June 1954
— announcements of, 135, 261, 360, 487, 594, 702
— program of, 487
— abstracts of papers on program, 763†
—— *Thirty-seventh*, Atlantic City, N. J., June 1955
— announcements of, 976, 1093, 1281, 1454, 1576
AWARDS
—— *for 1954* (Ciba award: Ayerst, McKenna & Harrison fellowship)
— announcements of, 135, 261, 360
— recipient of Ciba award, 977
—— *for 1955* (Medal of the Endocrine Society; Ciba award; Ayerst, McKenna & Harrison fellowship; Schering scholar; Upjohn scholar)
— announcements of, 1094, 1282, 1455, 1577
EDITORIALS: *see* Editorials
FELLOWSHIP: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM: *see* Journal
LETTERS TO THE EDITOR: *see* Letters to the Editor
MEDAL: *see* Endocrine Society, awards
OFFICERS; COUNCIL, PUBLICATIONS COMMITTEE; EDITORIAL BOARD & EDITOR
—— *for 1953–54*: *see* general information pages, front ad section, Jan.–June issues
—— *for 1954–55*: *see Ibid.* July–Dec. issues
1953 POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY
—— answers to questions submitted at:

ENDOCRINE SOCIETY (*cont.*)
1953 POSTGRADUATE ASSEMBLY (*cont.*)
see Questions & Answers (in each issue of the Journal)
SCHOLARS: *see* Endocrine Society, awards
ENDOCRINOLOGY: *see also* Endocrine; Endocrine Society
—— Journal of, Clinical: *see* Journal of Clinical Endocrinology & Metabolism
—— Pan-American Congress in, 703, 1285
ENDOCRINOLOGISTS
—— clinical; laboratory procedures for (Editorial), 353*
—— education for research (Editorial), 588*
ENDOMETRIUM: *see* Menstruation; Uterus
ENZYMES
—— alk. phosphatase; relation to serum calcium level in Ca of breast with metast. to bone, 378*
—— antihyaluronidase compounds; effect of, on gonadotropic hormone preparations, 793†
—— carbonic anhydrase inhibitor; effects of, in Addison's disease, 820†
—— β-glucuronidase; response of, to androgens, 767†
—— 11-β-hydroxylase, 780†
—— in preparation of histologic sections of prostate for study of ground substance, 1113*
—— inhibitor; activity of crude & purified ACTH in presence of, 807†
—— system, induced hepatic; endocrine control of, 789†
—— systems; effect of thyroxine & triiodothyronine on, 804†
—— transaminases and *l*-glutamic acid dehydrogenase; *in vivo* effects of growth hormone on, 833†
EOSINOPHILS: *see* Blood, cells
EPILEPSY: *see* Nervous system
EPINEPHRINE: *see* Adrenal preps. & comps.
EPIPHYSES: *see* Bone; Joints
ERGOT; sublingual alkaloids of, in treatment of vasomotor flushes, 794†
ESTRADIOL; ESTRIN; ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Climacteric; Gonadotropins; Hermaphrodism; Hormones; Menstruation; Ovary; Pregnancy; Progesterone; Sex; Steroids
—— and estrogen-like compounds; nausea caused by; prevention of, by chlorpromazine, 795†
—— and orchiectomy; atrophy of normal and malignant prostatic tissue following; role of ground substance in, 1113*
—— assay of, in human subjects, by depression of gonadotropin excretion, 509*
ESTROGENS (*cont.*)
—— chlorotrianisene (TACE) for suppression of postpartum lactation, 339*
—— effect in ovarian agenesis & hypogonadism untreated until the fifth decade of life, 794†
—— effect on elastic fibers of testis, 626*
—— effects of: *see also* Questions & Answers
—— estradiol; effect on metabolism of human placenta, 764†
—— estradiol, estrone & estriol; interaction of, on uterine growth, 1134*
—— estrogen-secreting, long-standing, benign adrenal tumor; male gynecomastia & retarded sexual development resulting from; urinary estrogens, 1097*
—— estrone, C^{14}-labeled; interference with metabolism of, in aminopterin-treated rats, 796†
—— estrone metabolism; aberrations of, in rat hepatoma, 796†
—— excretion, in dwarfed girl with hypothyroidism; effect of thyroxine on, 1551*
—— in testicular disorders, 1560*
—— in treatment of acromegalic female, 1245*
—— in woman with true pituitary Addison's disease, 1519*
—— influence of, on thyroid function, 215*
——, 17-KS and tetrahydro compound S in urine of woman with metast. adrenocortical Ca, 676*
—— natural; metabolism of, in men with Laennec's cirrhosis, 764†
—— TACE in the treatment of the menopause, 272*
—— urinary, in hypogonadotropic eunuchoidism treated with CG, 887*
ESTRONE: *see* Estrogens
ETHIONINE; inhibition of fat-mobilizing properties of, by anabolic steroids & growth hormone, 787†
ETHYLENEDIAMINE tetra-acetate (calsol): *see* Calcium
EUNUCHOIDISM: *see* Testis, disorders; Androgens; Pituitary disorders
EXOPHTHALMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; Thyroid disorders, hyperthyroidism
EYES
—— cataracts & hypoparathyroidism, 579*, 1069*
—— exophthalmos, bilateral, progressive; pituitary irradiation for, 673*
—— exophthalmos in assoc. with localized thyrotoxic myxedema; treatment with

EYES (*cont.*)
ACTH & cortisone, 561*
—— exophthalmos, malignant; correction of, by transection of pituitary stalk, 830†
—— exophthalmos produced by pituitary extract, in Fundulus, 1393*
—— exophthalmos; treatment of: *see also* Questions & Answers
—— exophthalmos-producing substance in serum of patients with progressive exophthalmos, 1393*

FAMILIAL
—— congenital adrenocortical hyperplasia in siblings, 389*
—— cretinism; inborn error of metabolism, 869*
—— cretinism, with or without goiter, in 5 of 10 siblings (Teaching Clinic), 747*
—— hereditary diabetes insipidus; many instances in 7 generations in one family, 788†
FAT: *see also* Cholesterol; Lipids; Obesity
—— body; during admin. of TSH and thyroid, 1029*
—— body; estimation of (Editorial), 969*
—— content of adrenals, in nephrotic syndrome treated with ACTH, 1023*
—— fat-deficient, young male rats; effect of thyroid & adrenocortical dysfunction on, 802†, 823†
—— fat-mobilizing properties of ethionine; inhibition of, by anabolic steroids & growth hormone, 787†
—— formation of CH from; accel'd by cortical steroids in diabetes, 161*
—— progesterone content of, in rabbit, 645*
FELLOWSHIP: *see* Endocrine Society, awards
FEMALE: *see* Ovary; Estrogens; Menstruation; Pregnancy; Sex
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUSES and infants; effect of ACTH & cortisone on, 779†
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins; Pituitary
FORMULAE, empirical, for calculating thyroid weight, 326*, 1265*
FRACTURES: *see* Bone
FRANCIS AMORY Septennial Prize: *see* Am. Academy of Arts & Sciences
FROG; endocrine control of melanin pigmentation in, 1463*, 1491*
FSH: *see* Gonadotropins; Pituitary
FUNDULUS; used in study of exophthalmos-producing substance in blood, 1393*

GALACTORRHEA: *see* Breast
GASTRO-INTESTINAL TRACT
—— absorption of I^{131} from; effect of dietary calcium on, 1412*
—— duodenal ulcer during cortisone therapy, 389*
—— gastric pepsinogen & intestinal motility; effect of cortisone, DCA, ACTH & adrenalectomy on, in rats, 821†
—— hyperphagia, duodenal ulcer & obesity, in case of lymphatic leukemia; leukemic infilt. of hypothalamus at autopsy, 829†
—— paralytic ileus in myxedema, 685*
—— peptic ulcer; association with hyperthyroidism, 1569*
—— Sippy powders, in excess, for peptic ulcer; alkalosis syndrome following, 1074*
GERIATRICS: *see also* Age; Climacteric
—— American Society: *see* Am. Geriatrics Society
—— androgenic *vs.* colorimetric assay of KS of urine in old men, 452*
—— geriatric medicine; A.G.S. graduate symposium on, 1096
—— hypogonadism & ovarian agenesis, untreated until fifth decade of life, 794†
—— senile patient; testosterone therapy in, 107*
GIGANTISM: *see* Pituitary disorders
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
β-GLUCURONIDASE: *see* Enzymes
GLUTATHIONE; role in survival of mice during cold stress, 819†
GLYCOGEN; GLYCOPROTEIN: *see* Carbohydrate metabolism; Liver
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mellitus
GOITER: *see* Thyroid disorders
GOITROGEN: *see* Antithyroid drugs; Thyroid disorders
GONADOTROPINS: *see also* Pituitary preparations; Pregnancy
—— chorionic and pituitary luteinizing factor, for control of menopausal vasomotor symptoms, 763†
—— chorionic; in pregnancy: *see* Pregnancy
—— chorionic, of plasma; measurement of, in men receiving CG; augmenting effect of plasma, 887*
—— chorionic; used in sensitive antihormone assay method, 766†

GONADOTROPINS (*cont.*)
—— content of 18 human adenohypophyses, 979*
—— effects of: *see also* Questions & Answers
—— excretion; depression of, as method for assay of estrogens in human subjects, 509*
—— excretion in Klinefelter's syndrome, 719*
—— FSH and 17-KS excretion in myxedema and the menopause; effect of thyroxine on, 928*
—— FSH excretion in hypothyroidism with incomplete growth; effect of thyroxine on, 1551*
—— FSH (normal) in amenorrhea; follow-up of 60 cases, 765†
—— gonadotropic extracts, routine bioassay procedure for, 792†
—— in diagnosis of testicular disorders, 1560*
—— preparations of; effect of antihyaluronidase compounds on, 793†
—— reduction of response to, in chicks deficient in pantothenic acid or injected with squalene, 792†
—— urinary; aluminum hydroxide as adsorbing agent for, 666*
—— urinary; in female with true pituitary Addison's disease, 1519*
—— urinary, in progeria, 735*
GONADS: *see also* Androgens; Estrogens; Gonadotropins: Ovary; Sex; Testis; Questions & Answers
GRANULOCYTOPENIA: *see* Blood, cells
GRANULOMA POUCH: *see* Tissues
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROUND SUBSTANCE: *see* Tissues
GROWTH: *see also* Children: Dwarfism; and under various endocrine glands
—— effect of "pituitary growth hormone preparations" on, 110*
—— hormone: *see also* Pituitary preparations, growth hormone; Questions & Answers
—— hormone symposium, Henry Ford Hospital, 838
—— incomplete: associated with hypothyroidism; effect of thyroid (Teaching Clinic), 1551*
—— Is there an adrenal growth factor? 839*
—— large babies and the (pre)diabetic father, 177*
—— of rats and monkeys; effects of At^{211} and I^{131} on, 1161*
GROWTH (*cont.*)
—— stimulation of, in short children (Editorial), 255*
—— uterine; interaction of estrogens on, 1134*
—— uterine: *see also* Estrogens; Ovary disorders; Uterus
GUTERMAN, HENRY S., Obituary, 133
GYNECOLOGY: *see* Ovary, disorders; Menstruation
GYNECOMASTIA: *see* Breast

HAIR
—— alopecia areata; effect of cortisone on MSH metabolism in, 1491*
—— axillary; rate of growth of, as diagnostic index; correl. with 17-KS, 897*
—— *hirsutism*
— associated with polycystic ovaries; effect of treatment, 1247*
— in female; steroid studies; evidence for adrenocortical dysfunction, 777†
— in "pure" *vs.* adrenogenital Cushing's syndrome, 961*
— in women; classification of, by chromatographic analysis of ur. 17-KS, 776†
— *see also* associated with Adrenal disorders; Cushing's syndrome; Hermaphrodism; Ovarian disorders
HALOGEN
—— atom; substitution of, in the 9-alpha position; enhancement of activity of hydrocortisone, 813†
—— atoms, other than iodine; effect of substitution in thyronine, 1444*
—— radiohalogens (*e.g.* astatine): *see* Radioactive
HARVARD MEDICAL SCHOOL; course on pediatric endocrine and metabolic disorders, 596
HEART
—— cardiac patients, euthyroid, treated with I^{131}; effect of TSH on changes in thyroid function, 572*
—— electrocardiography, in 13 cases of goitrous hypothyroidism, 869*
—— myxedema heart (Teaching Clinic), 477*
HEAT regulation: *see* Hypothalamus; Temperature
HEMORRHAGE: *see* Blood
HENRY FORD HOSPITAL, Detroit; growth hormone symposium, 838
HEPATITIS; HEPATOSPLENOMEGALY: *see* Liver
HEREDITARY: *see* Congenital; Familial
HERMAPHRODISM: *see also* Adrenal disorders; Ovary; Testis

HERMAPHRODISM (*cont.*)
—— pseudohermaphrodite (female) treated with cortisone, 389*
HGF: *see* Carbohydrate metabolism
HILAR CELLS: *see* Ovary
HIRSUTISM: *see* Hair
HISTAMINE; urinary excretion of, after admin. of cortisone, 707*
HORMONES: *see also* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; Endocrines
—— "conditioning" versus "permissive" actions of hormones (Editorial), 122*
—— conference on: *see* Laurentian Hormone Conference
—— effects of: *see also* Questions & Answers
—— hormonal agents; technique for evaluation of anabolic & catabolic properties of, 833†
—— hormonally induced lactation in male rats, 831†
—— neutral, steroid; *in vivo* metabolism of, 318*
—— permissive action of, 1272*
HYDROCORTISONE; 17-HYDROXYCORTICOIDS: *see* Adrenal preps. & comps.
HYDROXYLASE (11-β): *see* Enzymes
HYDROXYPROGESTERONE: *see* Progesterone
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus
HYPERLIPEMIA: *see* Lipids
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders
HYPERTRICHOSIS: *see* Hair, hirsutism
HYPOGENITALISM: *see* Androgens; Estrogens; Ovary, disorders; Testis, disorders
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
HYPOGONADISM: *see* Androgens; Estrogens; Ovary, disorders; Testis, disorders
HYPOPITUITARISM: *see* Pituitary, disorders
HYPOTHALAMUS
—— disease of; endocrine and other clinical manifestations, 13*
—— effect of x-irradiation on; histologic study, 859*
—— lesions of; depression of thyroidal iodine uptake by, 773†
—— lesions of; increased insulin sensitivity of rats with, 790†
—— leukemic infiltration of, in case of lymphatic leukemia assoc'd with hyperphagia, obesity & duod. ulcer (autopsy), 829†
—— relation to pineal lesions, 622*
—— tumor of, and precocious puberty, 1*
HYPOTHYROIDISM: *see* Thyroid disorders, hypothyroidism

INDEX TO VOLUME 14 (1954)
—— author, 1581
—— subject, 1597
INFANTS: *see also* Congenital anomalies; Children; Pregnancy
—— large babies and the (pre)diabetic father, 177*
—— newborn; collagen fibers of testis in, 798†
—— newborn rats; effect of cortisone on lower incisors of, 824†
—— premature; probable predominance of corticosterone in adrenocortical secretion of, 816†
—— scorbutic; effect of ACTH on ascorbic acid of blood and urine, 1006*
INFERTILITY: *see* Ovary, disorders; Testis, disorders
INJURY: *see* Stress
INSULIN: *see also* Carbohydrate metabolism; Diabetes mellitus; Pancreas
—— effect of, on thyroid gland; and influence on heat regulation, 801†
—— extreme sensitivity to, in case of pituitary insufficiency plus diabetes, 1046*
—— insulin-glucose tolerance and lactic-pyruvic acid ratios in obesity; effect of ascorbic acid on, 836†
—— sensitivity, increased, in rats with hypothalamic lesions, 790†
—— therapy: *see also* Questions & Answers
—— tolerance test in case of hypoglycemia, 248*
INTRA-ARTICULAR injection: *see* Joints
IODINE: *see also* Antithyroid drugs; Thyroid; Thiouracil
—— hormonal, of serum, in hypothyroidism & incomplete growth, 1551*
—— iodide block; effect on thyroidal uptake of I^{132}, 1530*
—— iodide space of thyroid increased by admin. of iodothiouracil in rats, 232*
—— iodinated compounds; comparisons of; importance of biologic assay in, 56*
—— iodothiouracil: *see* Thiouracil
—— KI involution alternating with thiouracil hyperplasia, in production of thyroid tumors in rats, 1367*
—— low-iodine diet and parenteral iodide; effect on calcium as a goitrogen, 1412*
—— metabolism, illust'd by multicompartmented biologic model, 1079*
—— metabolism in normal subjects; dynamic analysis of (PBI specific-activity curve), 1423*
—— metabolism: *see also* Questions & Answers

IODINE (*cont.*)
—— PBI during high dosage of propylthiouracil in hyperthyroidism, 1403*
—— PBI; effect of penethamate hydriodide on, 242*
—— PBI in acromegaly, 32*
—— PBI in liver disease, 1287*
—— PBI in myxedema; effect of thyroxine on, 928*
—— radioactive: *see* separate category under Iodine
—— SPI; effect of estrogen on, 215*
RADIOACTIVE
—— administered to euthyroid cardiac patients; effect of TSH on changes in thyroid function following, 572*
—— distribution of, in thyroxine and TSH-treated rats; effect of cortisone on, 822†
—— delineation of new iodide compartment in thyroid, 771†
—— effects of iodide on rate of release of hormone from toxic thyroid glands, 768†
—— eka-iodine (astatine); studies with, 1149*, 1161*
—— excretion of, in familial cretin, 747*
—— histologic effects of radiation from, on normal & hyperplastic human thyroid glands, 1179*
—— hormonal I^{131} of serum; effect of stress, TSH & ACTH on, 309*
—— I^{131} clearance & renal function in thyroid disease, 1539*
—— I^{131}-labeled thyroxine & triiodothyronine; effect of metabolic alterations on subcellular distrib. of, 804†
—— I^{131}-labeled thyroxine; metabolism of, by isolated perfused rabbit liver, 803†
—— I^{132}; diagnostic use of; comparison with I^{131}, 1530*
—— impaired organic binding of, by thyroid, in I^{131} treatment of hyperthyroidism, 565*
—— in dynamic analysis of iodine metabolism in normal subjects, 1423*
—— in estimation of thyroid weight by empirical formulae, 326,* 1265*
—— in *in vitro* study of intact thyroid gland, 1219*
—— in study of action of astatine in the rat, 1149*, 1161*
—— in study of calcium as a goitrogen, 1412*
—— in study of *in vivo* interconversion of thyroxine & triiodothyronine, 772†

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
—— in study of pituitary-thyroid relationship in Graves' disease, 1260*
—— increased uptake of, induced by TSH, as diagnostic aid, 223*
—— inhibition of uptake of I^{131} by Neomercazole & Mercazole; comparison, 1230*
—— localization of, in rat prostate after admin. of I^{131}-labeled prolactin, 832†
—— PBI and I^{131} uptake during treatment of hyperthyroidism with K perchlorate, 70*
—— PBI^{131} used in simplified sensitive test for thyroid function, 1056*
—— rapid simple clinical method for evaluating thyroid function, 770†
—— retention; quantitative measurements of, in thyroid Ca; effect on leukocytes, 1300*
—— studies in 13 cases of goitrous hypothyroidism, 869*
—— studies of fractional rate of release of hormonal iodine from thyroid, 772†
—— study of thyroid function by, in case of pituitary insufficiency plus diabetes, 1046*
—— ten years' experience with, 45*
—— thyroidal I^{131} clearance; diphasic character of, 773†
—— thyroxine I^{131} of plasma, in diagnosis of thyroid disease, 1062*
—— treatment of thyroid cancer with, at Mass. Gen. Hospital, 1336*
—— uptake, and PBI, following hypophysectomy, 786†
—— uptake, and PBI, in dystrophy (myotonic) associated with thyroid disease, 1437*
—— uptake, and PBI, in hyperthyroidism studied by EEG, 1511*
—— uptake; depression of, by hypothalamic lesions, 773†
—— uptake, in diff. diagnosis of malignancy in solitary thyroid nodules, 672*
—— uptake, in Klinefelter's syndrome, 719*
—— uptake, in patients with impaired liver function, 1287*
—— uptake; method for increasing accuracy of, as a test for thyroid function, by use of desicc. thyroid, 1374*
—— uptake: *see also* Questions & Answers
—— used in diagnosis of case of pituitary myxedema, 685*

IODINE (*cont.*)
RADIOACTIVE (*cont.*)
—— used in estimation of thyroid weight for dose calculations, 326*, 1265*
IODOTHIOURACIL: *see* Thiouracil
IONIZING RADIATION: *see* Radiation
IRRADIATION: *see* Radioactive; Roentgen ray
ISOTOPES: *see* Radioactive

JAUNDICE: *see* Liver
JOINTS: *see also* Arthritis; Bone: Tissues
—— intra-articularly injected hydrocortisone & cortisone in arthritis; distrib. of, in synovial fluid and cells, 711*, 814†
—— synovial fluid in arthritis; metabolites of hydrocortisone & cortisone in, 814†
JOURNAL OF CLINICAL ENDOCRINOLOGY & METABOLISM
—— Contents of Volume 14 (1954), page i (December)
—— Editorial Board, Editor, Publications Committee: *see* Endocrine Society
—— Editorials: *see* Editorials
—— Indexes to Volume 14 (1954)
— author, 1581
— subject, 1597
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

KETOGENIC activity of corticotropin, 792†
KETOSTEROIDS & 17-KETOSTEROIDS: *see* Steroids
KIDNEY: *see also* Urine
—— diuresis: *see also* Pituitary preparations, vasopressin; Pituitary disorders, diabetes insipidus; Water
—— diuretic action of choline theophyllinate; potentiating action of cortisone on, 825†
—— β-glucuronidase; response of, to androgens, 767†
—— incidence of renal stones in hyperparathyroidism, 1569*
—— nephrectomized dog; endocrinologic studies on, 784†
—— nephrectomized rabbit; rate of disappearance of progesterone from blood of, 645*
—— nephrotic syndrome; effect of ACTH on adrenals in (histology), 1023*
—— renal action of the parathyroids, 826†
—— renal function and electrolyte balance; effect of growth hormone on, in hypophysect'd & intact rats, 835†, 835†, 835†
KIDNEY (*cont.*)
—— renal function and I^{131} clearance in hyperthyroidism & myxedema, 1539*
—— renal insufficiency, alkalosis & hypercalcemia following excessive intake of Sippy powders (Teaching Clinic), 1074*
KLINEFELTER'S syndrome: *see* Syndromes

LACTATION: *see* Breast; Pregnancy
LAENNEC'S CIRRHOSIS: *see* Liver
LAURENTIAN HORMONE CONFERENCE (program), 594
LETTERS TO THE EDITOR, 97*, 100*, 105*, 107*, 109*, 110*, 244*, 245*, 336*, 339*, 341*, 672*, 673*, 676*, 678*, 680*, 681*, 681*, 682*, 744*, 746*, 1086*, 1263*, 1265*, 1268*, 1270*, 1272*, 1564*, 1567*, 1569*
LEUKEMIA: *see* Blood, cells
LEUKOCYTES: *see* Blood, cells
LIPIDS: *see also* Cholesterol; Fat
—— hyperlipemia in undiagnosed endocrinometabolic syndrome, 193*
—— of blood, during admin. of TSH & thyroid, 1029*
LIVER
—— fatty; produced by ethionine; inhibition of by anabolic steroids & growth hormone, 787†
—— hepatectomized rabbit; rate of disappearance of progesterone from blood of, 645*
—— hepatic enzyme system, induced; endocrine control of, 789†
—— hepatoma of rat; aberrations of estrone metabolism in, 796†
—— hepatosplenomegaly and fatty infiltration, in undiagnosed endocrinometabolic syndrome, 193*
—— influence of hormones: *see also* Questions & Answers
—— isolated, perfused, of rabbit; metabolism of I^{131}-labeled thyroxine by, 803†
—— Laennec's and cardiac cirrhosis & acute infectious hepatitis; thyroidal uptake of I^{131} in; correl. with spider angiomata, jaundice, cellular damage & ascites, 1287*
—— men with Laennec's cirrhosis; metabolism of natural estrogens in, 764†
LUNGS
—— alveolar CO_2 tension during pregnancy, 522*
LYMPHATIC TISSUE
—— effect of growth hormone on, 786†
—— struma lymphomatosa: *see* Thyroid disorders
—— tonsils, following omission of cortisone in congen. adrenal hyperplasia, 389*

MALARIA parasitized chicks; ascorbic-acid & cholesterol content of adrenals in, 822†
MALE: *see* Testis; Androgens; Sex
MALNUTRITION: *see* Nutrition
MARE, pregnant, ACTH in urine of, 154*
MEDAL: *see* Endocrine Society, awards
MEETINGS: *see* Announcements
MELANIN: *see* Pigment
MELANOCYTE-STIMULATING HORMONE (MSH): *see* Pigment; Pituitary preparations
MELANOMA: *see* Pigment; Tumors
MENOPAUSE: *see* Climacteric; Menstruation
MENSTRUATION: *see also* Climacteric; Estrogens; Pregnancy; Progesterone; Ovary; Uterus
—— amenorrhea; changes following treatment with vaginal suppositories of progesterone, 1564*
—— amenorrhea due to polycystic ovaries (Stein-Leventhal syndrome) (Teaching Clinic), 1247*
—— amenorrhea, galactorrhea & low FSH, 265*
—— amenorrhea with normal FSH; follow-up of 60 cases, 765†
—— changes in, in acromegaly, 32*
—— course of, in adrenal hyperplasia following omission of cortisone, 810†
—— cyclic intermenstrual pain (mittelschmerz), 682*
—— disorders of: *see also* Questions & Answers
—— menopause: *see* Climacteric
—— ovulation: *see also* Ovary; Progesterone
MENTAL: *see also* Brain; Nervous system
—— deficiency in cretinism: *see also* Thyroid disorders, hypothyroidism
—— deficiency in familial goitrous hypothyroidism, 747*, 869*
—— psychologic changes in patients with Addison's disease during treatment with cortisone (Teaching Clinic), 344*
—— psychoses and convulsive seizures complicating therapy with cortisone & ACTH (EEG's), 1039*
—— psychosis during cortisone therapy in pseudohermaphrodism, 389*
MERCAPTO COMPOUNDS
—— mercaptoimidazole (Tapazole) in treatment of hyperthyroidism, 1403*
—— 2-mercapto-1-methylglyoxaline (Mercazole); antithyroid activity and toxicity of, 1230*
—— methimazole; 4-year study of treatment of hyperthyroidism with, 948*, 801†
—— methimazole plus x-rays in treatment of hyperthyroidism, 939*
MERCAPTO COMPOUNDS (*cont.*)
MERCAZOLE: *see* Mercapto compounds; Antithyroid drugs
METABOLISM: see also under specific element involved
—— basal: *see* Basal metabolism
—— Journal of Clinical Endocrinology & Metabolism: *see* Journal
—— metabolic disorders (pediatric); course in: *see* Harvard Med. School
METHIMAZOLE: *see* Mercapto compounds: Antithyroid drugs
METHODS: *see also* Tests
—— aluminum hydroxide as an adsorbing agent for ur. gonadotropins, 666*
—— androgenic activity of ur. ketosteroids; comparison of colorimetric and biologic assays, 139*
—— assay of corticotropin; improved & simplified, using normal male subjects, 807†
—— bioassay procedure for gonadotropic extracts, 792†
—— certain color reactions for DHA; inaccuracy of, 100*
—— electron microscopy, to reveal fine structure of ant. pituitary gland & other tissues, 786†
—— for ACTH: *see also* Pituitary preparations, ACTH
—— for ACTH in blood; "active" & "activable" fractions, 1144*
—— for admin. of tracer dose of I^{132}, 1530*
—— for assay of ACTH in urine, 154*
—— for assay of estrogens in human subjects, by depression of gonadotropin excretion, 509*
—— for chorionic gonadotropin in plasma, 887*
—— for corticoid conjugates in human blood, 341*, 815†
—— for dehydroisoandrosterone & androsterone-etiocholanolone in plasma, 778†
—— for dynamic analysis of iodine metabolism, 1423*
—— for estimation of body fat, 969*
—— for estimation of thyroid weight by empirical formulae, 326*, 1265*
—— for 17-hydroxycorticoids in blood, 746*
—— for 17-hydroxycorticosteroids in urine, 839*
—— for melanocyte-stimulating hormone (MSH) in blood & urine, 789†, 1491*
—— for pregnanetriol and 17-OH-progesterone, 409*
—— for quant. evaluation of anabolic & catabolic properties of hormones, 833†

METHODS (*cont.*)
—— for using plasma butanol-extractable I^{131} in diagnosis of thyroid disease, 1062*
—— granuloma-pouch technique to illustrate diseases of adaptation, 997*
—— improved, for extraction & determination of plasma 17-KS, 815†
—— laboratory procedures for clinical endocrinologists (Editorial), 353*
—— model, multi-compartmented, biologic, for illust'g metabolic relationships, 1079*
—— modifications of Reddy procedure for 17-OH-corticoids in urine, 336*
—— new, for determination of ACTH in blood, 781†
—— PBI determination, invalidated by use of iodinated ester of penicillin, 242*
—— Porter-Silber reaction; lack of specificity, 1263*
—— quantitative, for measuring I^{131} retention in thyroid Ca, 1300*
—— rapid, simple, clinical radioactive method for eval'g thyroid function, 770†
—— simple, nonchromatographic, for specific estim. of ur. metabolites of hydrocortisone, corticosterone & 17-OH-progesterone, 814†
—— simplified test of adrenocortical function, using corticotropin gel, 806†
—— specific gravity technique for estim. of gross body composition, in metabolic studies, 1029*
METHYLANDROSTENEDIOL (MAD): *see* Androgens
METHYLTESTOSTERONE: *see* Androgens
METHYLTHIOURACIL: *see* Thiouracil
MITTELSCHMERZ: *see* Menstruation
MODELS
—— biologic, multi-compartmented (Editorial), 1079*
—— experimental, illust'g pathogenesis of diseases of adaptation, 997*
—— three-compartment; in dynamic analysis of iodine metabolism, 1423*
MORPHINE
—— blocking effects on ACTH secretion, 811†
—— suppression of ovulation by, in the rat, 765†
MSH: *see* Pigment; Pituitary preparations
MUCOPROTEINS: *see* Protein
MULTI-COMPARTMENTED biologic models (Editorial), 1079*
MUMPS orchitis: *see* Testis
MUSCLE
—— muscular masses in undiagnosed endocrinometabolic syndrome, 193*
—— myotonic dystrophy assoc'd with thyroid disease (Teaching Clinic), 1437*
—— progesterone content of, in the rabbit, 645*
MYOTONIC DYSTROPHY: *see* Muscle
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NATHANSON, IRA T., Obituary, 1278
NEGRO; effect of MSH on melanin pigmentation; and MSH metabolism in, 1463*, 1491*
NEOGLUCOGENESIS: *see* Carbohydrate metabolism
NEOMERCAZOLE: *see* Thiouracil & thio comps.
NEO-PENIL: *see* Penethamate hydriodide
NEOPLASMS: *see* Cancer; Tumors; and under specific organ involved
NEPHROTIC SYNDROME: *see* Kidney
NERVOUS SYSTEM: *see also* Brain, Mental
—— convulsive manifestations in hypoparathyroidism ((EEG), 1069*
—— convulsive seizures complicating cortisone & ACTH therapy (EEG), 1039*
—— electroshock seizure threshold; effect of triiodothyronine & thyroxine on, in adrenalect'd rats, 803†
—— epilepsy; diff. diagnosis re hypoglycemia, 248*
—— epileptic manifestations & hypoparathyroidism, 579*
—— in hypothalamic disease, 1*, 13*
—— recurrent laryngeal nerves; revised anatomy of; dissection of 100 cadavers, 87*
—— tetany: *see* Calcium; Parathyroids
NEUTRONS, ionizing radiation of; histologic effects on human thyroid, 1179*
NEVI: *see* Skin; Tumors
NITROFURAN compounds; mechanism of spermatogenic arrest produced by, in rats, 799†
NITROGEN: *see also* Protein
—— and phosphorus blood levels; effect of growth hormone on, in monkeys, 787†
—— balance; effect of quinidine on, 97*
—— effect of pituitary growth hormone on, 110*
—— excretion; effect of stanolone on, in agonadal male, 472*
—— uric acid/creatinine ratio; effect of ACTH on, in various clinical conditions, 297*
—— urinary, of castrated male rat; influence of 19-nortestosterone cyclopentylpropionate on, 799†

NORADRENALINE; NOREPINEPHRINE: *see* Adrenal preps. & comps.
NOTICES: *see* Announcements
NUTRITION: *see also* Diet; Growth; Obesity; Vitamins
—— undernourished patients treated with cortisone; remarkable effects in anorexia nervosa, 820†

OBESITY: *see also* Fat: and associated with various endocrine disorders
—— effect of ascorbic acid on insulin-glucose tolerance and lactic-pyruvic acid ratio in, 836†
—— plus hyperphagia and duodenal ulcer, associated with hypothalamic leukemic infiltration (autopsy), 829†
OBITUARIES
—— Guterman, Henry S., 133
—— Nathanson, Ira T., 1278
—— Siegler, Samuel L., 134
—— Thompson, Willard O., 699
OFFICERS of the Endocrine Society: *see* Endocrine Society
ORCHITIS: *see* Testis
OSTEOMALACIA; OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Estrogens; Gonadotropins; Hermaphrodism; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— adolescent development, ovulation, menstruation & pregnancy in congen. adrenal hyperplasia, under influence of cortisone, 809†
—— altered sex function & hypothalamic disease, 13*
—— amenorrhea: *see also* Menstruation; Pregnancy
—— castrated adult rats; interaction of estrogen on uterine growth in, 1134*
—— climacteric: *see* Climacteric
—— cystic degeneration of, in pregnant acromegalic treated by irrad. of pituitary, 1245*
—— females; effects of relaxin in, 531*
—— hilar-cell proliferation in adrenogenital syndrome, 245*
—— hypogonadism and ovarian agenesis, untreated until the fifth decade of life, 794†
—— hypogonadism; rate of growth of axillary hair, and 17-KS excretion in, 897*
—— menopause: *see* Climacteric
—— menstrual disorders: *see* Menstruation
—— normal and oöphorect'd females; androgenic *vs.* colorimetric assay of ur. KS in, 452*
—— ovarian agenesis; chromosomal sex in, 1270*
OVARY (*cont.*)
—— ovarian disorders: *see also* Questions & Answers
—— ovulation in the rat; suppression by morphine, 765†
—— ovulation: *see also* Menstruation
—— polycystic; amenorrhea due to (Stein-Leventhal syndrome) (Teaching Clinic), 1247*
—— polycystic, syndrome (Stein-Leventhal) and hyperadrenocorticism, 766†
—— preparations: *see* Estrogens; Progesterone; Steroids; Questions & Answers
—— pseudohermaphrodism: *see* Hermaphrodism
—— reproductive system; effect of 11-α-hydroxyprogesterone on, in adult rats, 1268*
—— sexual development in cortisone-treated female rats, 821†
—— therapy of ovarian disorders: *see also* Estrogens; Gonadotropins; Progesterone; Questions & Answers
OVULATION: *see* Menstruation; Ovary; Pregnancy
OXYGEN utilization: *see also* Basal metabolism; Lungs
—— oxygen with 30 per cent CO_2; adrenal-pituitary & CH response to, 823†, 824†

PAN-AMERICAN Congress in Endocrinology Santiago, Chile, 703, 1285
PANCREAS: *see also* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— effect of alpha-cell destruction on HGF content, 184*
—— gross lesions of, and diabetes (Editorial), 481*
—— islet-cell tumor *vs.* functional hypoglycemia, 248*
—— islets of Langerhans; some effects of growth hormone on, 791†
PANHYPOPITUITARISM: *see* Pituitary disorders
PARATHYROIDS: *see also* Calcium; Thyroid
—— chronic effects of irrad. with I^{131} and At^{211} on, in the rat & monkey, 1161*
—— disorders: *see also* Questions & Answers
—— function; measurement of, using ethylenediamine tetra-acetate, 827†
—— hyperparathyroidism; association with peptic ulcer, 1569*
—— hyperparathyroidism; i. v. calcium as an aid in diagnosis, 830†
—— hypo- and pseudohypoparathyroidism; probenecid therapy in, 785†
—— hypoparathyroidism followed by Addison's disease, 653*

PARATHYROIDS (*cont.*)
—— hypoparathyroidism, idiopathic; effect of i.v. calcium gluconate on excretion of Ca and P in, 278*
—— hypoparathyroidism; postoperative, unrecognized (Teaching Clinic) 579*
—— pseudohypoparathyroidism; case report, 1069*
—— renal action of, 826†
—— role of, in Cushing's syndrome; need for further study, 811†
PEDIATRICS: *see* Children
PENETHAMATE hydriodide; influence on PBI levels, 242*
PENICILLIN, iodinated ester of: *see* Penethamate
PENIS: *see* Androgens: Gonadotropins; Hermaphrodism; Prostate; Testis
PEPTIC ulcer: *see* Gastro-intestinal tract
PERMISSIVE
—— action of hormones, 1272*
—— versus "conditioning" actions of hormones (Editorial), 122*
PHEOCHROMOCYTOMA: *see* Adrenal disorders
PHOSPHATASE: *see* Enzymes
PHOSPHORUS: *see also* Bone; Parathyroids
—— balance; effect of pituitary growth hormone on, 110*
—— effect of Ca gluconate on excretion of, in idiopathic hypoparathyroidism, 278*
—— hypophosphatemic glycosuric osteomalacia; mechanism, 365*
—— inorg. phosphate & glucose of serum in pituitary disorders, 828†
—— of serum in hypoparathyroidism; effect of therapy, 1069*
—— phosphatase: *see* Enzymes
PIGMENT: *see also* Addison's disease
—— albinos & Negroes; vitiligo; miscellaneous; (MSH) melanocyte-stimulating hormone excretion in, 1491*
—— determination of MSH in urine and blood, 1491*
—— during pregnancy: *see also* Pregnancy
—— effect of admin. of MSH on urinary excretion of, 1463*
—— melanin pigmentation; mechanism of endocrine control of, 1463*
—— melanocyte-stimulating hormone in human blood & urine, 789†, 1463*, 1491†
—— melanoma, malignant, metastatic; effect of hypophysectomy on, 828†
—— MSH: *see also* Pituitary preparations
—— of skin, in true pituitary Addison's disease; effect of ACTH, 1519*
PINEAL lesions and precocious puberty; a review, 622*
PITUITARY: *see also* Gonadotropins
DISORDERS
—— acromegalic mothers & size of babies, 177*
—— acromegaloid gigantism in undiagnosed syndrome, 193*
—— acromegaly & pregnancy, 32*, 1245*
—— adenomas (Editorial), 756*
—— Cushing's syndrome: *see* Cushing's syndrome
—— diabetes insipidus & other manifestations; relation to hypophysectomy; effect on ACTH & cortisone, 786†
—— diabetes insipidus, hereditary; many instances in 7 generations in one family, 788†
—— disorders; serum inorg. phosphate & glucose response in, 828†
—— disorders: *see also* Questions & Answers
—— dwarf with pituitary tumor; renal funct. & I^{131} clearance in, 1539*
—— dysfunction; explanation for therapeutic benefits following x-irrad. of hypophysial region, 859*
—— hyperpituitarism *vs.* hyperthyroidism in Graves' disease, 768†
—— hypopituitarism and acromegaly; long-acting effect of testosterone isobutyrate & phenylacetate in, 800†
—— hypopituitarism; effect of MSH on melanin pigmentation and MSH metab. in, 1463*, 1491*
—— hypopituitarism, sodium-retaining corticoid in urine of, 1086*
—— insufficiency associated with diabetes mellitus, 1046*
—— insufficiency; use of TSH in diagnosis, 223*
—— panhypopituitarism; ACTH test in, 297*
—— pituitary myxedema (Teaching Clinic), 685*
—— relationship to progeria, 735*
—— true pituitary Addison's disease—a pituitary unitropic deficiency; treatment, 1519*
—— tumor, in syndrome of galactorrhea, amenorrhea & low FSH; comparison with acromegaly, 265*
GONADOTROPINS: *see* Gonadotropins
HORMONES: see Gonadotropins; and Pituitary preparations
PHYSIOLOGY & PATHOLOGY
—— differential cell count of, in a case

PITUITARY (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
of Klinefelter's syndrome, 719*
—— fine structure of, as revealed by electron microscopy, 786†
—— histologic picture of, in acute leukemia treated with ACTH & cortisone, 910*
—— human; cytology of, as related to bioassays for tropic hormones, 979*
—— hypophysectomy; corticosteroid secretion following, 782†
—— hypophysectomy; changes observed after, in 4 patients with mammary cancer, 827†
—— hypophysectomy; effect on cyclic mitotic activity in retromolar mucosa of rats, 829†
—— hypophysectomy; effect on malignant diabetic vascular disease, 790†
—— hypophysectomy; lack of effect of metast. adrenocortical Ca with Cushing's syndrome, 205*
—— hypophysectomy; results studied by I^{132}, 1530*
—— in precocious puberty & hypothalamic tumor, 1*
—— in pregnancy, 32*
—— irradiation of, for bilat. progressive exophthalmos, 673*
—— pituitary-thyroid relationship in Graves' disease (Editorial), 1260*
—— stalk; transection of, for correction of malignant exophthalmos, 830†
—— thyroidectomy cells in pituitary of monkey after treatment with astatine, 1161*
PREPARATIONS & COMPOUNDS
ACTH: *see* separate category of Pituitary preparations—(Adrenocorticotropic hormone)
—— anterior pituitary fraction, potent, steroidogenic, & poor in adrenal ascorbic-acid depleting activity, 808†
—— erythropoietic factor; production of polycythemia in hypophysect'd rats by, 831†
—— FSH: *see* Gonadotropins
—— gonadotropic hormone: *see* Gonadotropins
—— growth hormone: *see* separate category of Pituitary preparations
—— melanocyte-stimulating hormone (MSH); role of, in control of pigmentation, 1463*
—— melanocyte-stimulating hormone; method for determination of, in blood & urine, 1491*

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— prolactin, I^{131}-labeled; localization of, in rat prostate, 832†
—— special fraction; increase in adrenal responsiveness during admin. of, 839*
—— standard pituitary extract; production of exophthalmos by, in Fundulus, 1393*
—— thyroid-stimulating hormone (TSH): *see* separate category of Pituitary preparations
—— vasopressin; effect on fluid metabolism in hypophysect'd and intact rats, 835†, 836†
Adrenocorticotropic hormone (*ACTH*): *see also* Adrenal physiology
—— adrenal response to; factors enhancing, 839*
—— adrenal response to, in various clinical conditions, 297*
—— adrenocorticotropic activity of human blood, 597*
—— adrenocorticotropic substances from human placenta, 781†
—— and growth hormone; effect on muscle glycogen of hypophysect'd rats, 834†
—— assay of, in urine in health & disease, 154*
—— blocking effect of morphine on secretion of, 811†
—— content of human adenohypophysis, 979*
—— continuous i.v. infusion of, in small doses, as physiologic approach to treatment, 440*
—— corticotropin gel, in simplified test of adrenocortical function, 806†
—— corticotropin-zinc, long-acting; evaluation of, 680*, 681*
—— crude and purified; activity of, in presence of enzyme inhibitor, 807†
—— deficiency of, in true pituitary Addison's disease; ACTH therapy in, 1519*
—— effect on adrenals (histology) in the nephrotic syndrome & rheum. fever, 1023*
—— effect on fetuses & mothers, 779†
—— effect on gastric pepsinogen & intest. motility, in rats & g. pigs, 821†
—— effect on melanin pigmentation, 1463*
—— effect on neutral steroids of urine, 922*

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— effect on serum hormonal I^{131}, 309*
—— effect on urinary & blood ascorbic acid in man, 1006*
—— effects on adrenals & pituitaries (histology) of children with acute leukemia, 910*
—— effects: *see also* Questions & Answers
—— improved & simplified assay for, using normal male subjects, 807†
—— in acceleration of neoglucogenesis from fat in diabetics, 161*
—— in functional diagnosis of states of adrenocortical hyperactivity, 775†
—— in treatment of localized thyrotoxic myxedema, 561*
—— intravenous; effects on blood 17-OH-CS & leukocytes, 423*
—— ketogenic activity of, in the rat, 792†
—— low-dose stimulation with; adrenocortical response to, in Cushing's adrenogenital syndrome, & normal subjects, 806†
—— new method for determination of, in blood, 781†
—— of blood, in man; "active" and "activable" fractions, 1144*
—— possible bioassay technic for, by steroid response in hypophysect'd g. pigs, 818†
—— regular and zinc; effect on 17-OH-CS of blood, 746*
—— response of blood corticoids to, in adrenogenital syndrome, 409*
—— response of ur. 17-KS to, in diagnosis of hyperadrenocorticism, 781†
—— sodium-retaining effect of urinary extracts, following admin. of, 784†
—— status of patients continuously treated with for 3½–5 years, 778†
—— test, in hypothyroidism & incomplete growth, 1551*
—— therapy, convulsive seizures complicating (EEG's), 1039*
Growth hormone: see also Growth
—— and cortisone; comparison of diabetogenic actions of, in different species, 837†
—— and hypophysectomy; effect on serum polysaccharide level, in rat, 834†
—— and lymphatic organs, 786†
—— as inhibitor of fat-mobilizing properties of ethionine, 787†

PITUITARY (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— effect in normal & hypophysect'd immature monkeys, 787†
—— effect on renal function & electrolyte balance in intact and hypophysect'd rats, 835†, 835†
—— further observations on effects in human subjects, 832†
—— *in vivo* effects on transaminases and *l*-glutamic acid dehydrogenase, 833†
—— metabolic effects of, 110*
—— some effects of, on islets of Langerhans, 791†
Thyrotropic hormone (TSH): see also Thyroid disorders, and physiology
—— combined with iodide; effect on rate of hormone release from toxic thyroid, 769†
—— content of human adenohypophysis, 979*
—— effect of goitrogens on TSH activity, 769†
—— effect on adrenal responsiveness to ACTH, 839*
—— effect on changes in thyroid function following admin. of I^{131} to euthyroid cardiac patients, 572*
—— effect on fractional rate of release of hormonal iodine from the thyroid, 772†
—— effect on I^{131} retention in thyroid Ca, 1300*
—— effect on intact thyroid gland studied *in vitro*, 1219*
—— effect on renal function & I^{131} clearance in thyroid disorders. 1539*
—— effect on serum hormonal I^{131}, 309*
—— excretion of, by normal subjects & those with altered thyroid function, 770†
—— extrathyroidal effects of, 1029*
—— in study of thyroid function in case of pituitary insufficiency & diabetes, 1046*
—— in treatment of cat-scratch thyroiditis, 742*
—— increased elaboration of, by admin. of iodothiouracil in the rat, 232*
—— metabolic effects of, in osteoporosis & in myxedema, 769†
—— not the mediator of Graves' disease, 1260*
—— thyroxine- & TSH-treated rats; effect of cortisone on distrib. of I^{131} in, 822†
—— use of, in diagnosis of equivocal hypothyroidism, 223*

PITRESSIN: *see* Pituitary preparations, vasopressin
PLACENTA: *see* Pregnancy; Gonadotropins (chorionic)
PLASMA: *see* Blood
POLYCYTHEMIA: *see* Blood cells
POLYSACCHARIDES: *see* Carbohydrate metabolism
POLYVINLYPYROLLIDONE; effect on chor. gonadotropin activity & plasma levels, in hypogonadotropic eunuchoidism, 887*
PORTER-SILBER REACTION: *see* Methods
POTASSIUM: *see also* Electrolytes
—— balance; effect of pituitary growth hormone on, 110*
—— balance; in relation to steroid-induced insulin resistance in diabetics, 161*
—— in true pituitary Addison's disease, 1519*
—— of sweat; application to clinical study of adrenal function, 1126*
—— perchlorate; effect on I^{131} retention, in thyroid Ca, 1300*
—— perchlorate in the treatment of hyperthyroidism, 70*
—— varied intake of, in rats; effect of DCA on BP during, 661*
(PRE)DIABETIC FATHER: *see* Diabetes mellitis
PREGNANCY: *see also* Breast; Estrogens; Gonadotropins; Menstruation; Ovary; Pituitary; Pregnanediol; Progesterone
—— ACTH in blood, 597*
—— and acromegaly, 32*
—— and early labor; "anesthetic" effect of progesterone in, 1567*
—— and early puerperium; alveolar CO_2 tension levels during, 522*
—— decidual development; action of pregnanediol & related steroids on progesterone in, 763†
—— effect of ACTH & cortisone in, 779†
—— effect on the mittelschmerz, 682*
—— effects: *see also* Questions & Answers
—— estriol— a primate hormone of pregnancy? 1134*
—— following bilat. wedge resection for polycystic ovaries, 1247*
—— FSH excretion during normal & abnormal lactation, 265*
—— in acromegalic woman with ovarian cysts, treated by pituitary irrad., 1245*
—— in case of congen. adrenal hyperplasia treated with cortisone, 809†
—— in hirsute woman with adrenal cancer & high KS excretion, 897*
—— increased melanocyte-stimulating hormone (MSH) in blood & urine of, 789†, 1491*
PREGNANCY (*cont.*)
—— lactation: *see also* Breast
—— mare; ACTH in urine of, 154*
—— melanin pigmentation & MSH metabolism in, 1463*, 1491*
—— normal; effect of DCA on hemodynamics & electrolyte balance in, 109*
—— placenta; adrenocorticotropic substances from, 781†
—— placenta; effect of estradiol on metabolism of, 764†
—— pregnanediol in: *see also* Pregnanediol
—— pregnant & normal rats; effect of 11α-hydroxyprogesterone on reproductive system of, 1268*
PREGNANE-3-alpha, 17-alpha, 21-triol-20-one: *see* Adrenal preps. & comps.
PREGNANEDIOL: *see also* Estrogens; Progesterone; Pregnancy
—— and related steroids, action on progesterone in decidual development, 763†
—— excretion following use of progesterone vaginal suppositories, 1564*
—— excretion in male gynecomastia & hypogonadism resulting from estrogen-secreting adrenal tumor, 1097*
PREGNANETRIOL in urine of patients with adrenogenital syndrome; effect of ACTH & cortisone on, 409*
PREMATURE: *see* Infants
PROBENECID therapy in parathyroid disease, 785†
PROGERIA, typical; report of a patient, including urinary hormone studies, 735*
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnancy; Steroids
—— "anesthesia" in human subjects, 1567*
—— effects of, *see also* Questions & Answers
—— exogenous; rate of disappearance from the blood of rabbits; progesterone content of fat & muscle, 645*
—— 17-hydroxyprogesterone; effect of, in adrenogenital syndrome, 409*
—— 11α-hydroxyprogesterone; effect on reproductive system of pregnant adult rats, 1268*
—— pregnanediol: *see* Pregnanediol
—— vaginal suppositories; effectiveness of, 1564*
PROGRAMS: *see* Endocrine Society; Laurentian Hormone Conference; American Goiter Association
PROLACTIN: *see* Pituitary preparations
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE: *see also* Androgens; Gonadotropins; Testis

PROSTATE (*cont.*)
—— cancer of, metastatic; effect of hypophysectomy on, 828†
—— cancer of, treated by adrenalect'y & orchiect'y; effect of adrenocort. steroids on excretion of androgens in, 495*
—— normal and malignant prostatic tissue; role of ground substance in atrophy of, following estrogen & orchiectomy, 1113*
—— of rat; localization of I^{131} in, after admin. of I^{131}-labeled prolactin, 832†
PROTEIN: *see also* Nitrogen
—— amino-acid intake; effect of variations in, on metab. response to cortisone, 837†
—— anabolic effect of quinidine, 97*
—— anabolism; premissive role of adrenal steroids in, 824†
—— binding; inhibition of, *in vitro*, in measurement of antithyroid drugs, 1230*
——bound iodine (PBI) of serum: *see* Iodine
—— bound progesterone, 645*
—— hyperproteinemia in undiagnosed endocrinometabolic syndrome, 193*
—— metabolism of uterus; influence of steroids on, 797†
—— mucoproteins of human plasma; changes in, in hyperthyroidism & myxedema, 729*
—— thyroxine-protein complex of serum, 772†
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSEUDOHYPOPARATHYROIDISM: *see* Parathyroids
PSYCHOSES: *see* Brain; Mental; Nervous system
PUBERTY
—— elastic fibers in testis, 626*
—— normal: *see* Ovary; Testis
—— precocious, and hypothalamic disease, 1*, 13*
—— precocious, in relation to pineal lesions, 622*
—— precocious: *see also* disorders of Adrenal; Ovary; Testis
—— testes at; histological study of, 818†
PUBLICATIONS COMMITTEE: *see* Endocrine Society

QUESTIONS & ANSWERS: 128, 258, 357, 484, 590, 694, 761, 974, 1090, 1275, 1451, 1573
QUINIDINE; new pharmacologic property of; protein anabolic effect, 97*

RADIATION: *see also* Neutrons; Radioactive; Roentgen ray
—— ionizing; various types of; histologic effects on normal & hyperplastic human thyroids, 1179*
RADIOACTIVE
—— astatine; accumulation & destructive action of, in thyroids of rats & monkeys, 1161*
—— astatine; thyroidal uptake of, in the rat; influence of thiouracil, 1149*
—— C^{14}-estrone; interference with metabolism of, in aminopterin-treated rats, 796†
—— 4-C^{14}-hydrocortisone; excretion of, 817†
—— 4-C^{14}-17-hydroxycorticosterone, i.v.; metabolism of, 780†
—— 3-C^{14}-phenylalanine, in study of uterine protein metabolism, 797†
—— cystine; studies on vaginal keratinization with, 797†
—— $iodine^{131}$ and $iodine^{132}$; *see* Iodine, radioactive
—— radon seeds; histologic effects of, on human thyroid gland, 1179*
—— S^{35}-labeled methionine used in method for quant. evaluation of anabolic & catabolic properties of hormones, 833†
RADIOIODINE: *see* Iodine, radioactive
RADON: *see* Radioactive
RECIPIENTS of Awards: *see* Endocrine Society; American Goiter Association
RECURRENT LARYNGEAL NERVE: *see* Nervous system; Thyroid, physiol. & path.
REDDY procedure: *see* Methods
RELAXIN
—— changes in uterine cervix & vulva of the gilt, following treatment with, 798†
—— effects of admin. to human subjects, 531*
RENAL: *see* Kidney
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Testis
RESEARCH; education for (Editorial), 588*
RHEUMATIC FEVER
—— ACTH in urine, 154*
—— effect of ACTH on adrenals in (histology), 1023*
RHEUMATOID ARTHRITIS: *see* Arthritis
ROENTGEN RAY
—— histologic effects of, on normal & hyperplastic human thyroid glands, 1179*
—— irradiation of hypophysial area; effects on hypothalamus & on pituitary; histologic study, 859*

ROENTGEN RAY (*cont.*)
—— irradiation of pituitary for acromegaly; pregnancy following, 1245*
—— irradiation plus antithyroid drugs, in treatment of hyperthyroidism, 939*
—— irradiation, whole-body, in monkey; changes in blood 17-OH-CS & eosinophils following, 816†
—— radiographic visualization of adrenals, 805†
—— therapy for anaplastic carcinoma of thyroid, 1355*
—— therapy in pituitary adenomas, 756*
—— therapy, of pituitary, for bilat. progressive exophthalmos, 673*
—— therapy of struma lymphomatosa, 79*
—— therapy of thyroid disease: *see also* Thyroid, disorders

SALT: *see* Electrolytes; Sodium
SCHERING SCHOLAR: *see* Endocrine Society, awards
SCHMIDT syndrome, 540*
SCHOLARS OF THE ENDOCRINE SOCIETY: *see* Endocrine Society, awards
SEX: *see also* Androgens; Estrogens; Gonadotropins; Hermaphrodism; Ovary; Testis
—— chromosomal, in "ovarian agenesis," 1270*
—— in relation to thyroid cancer, 1309*, 1336*
—— sexual differences in nuclei of human skin, 768†
SHOCK: *see* Stress
SIEGLER, SAMUEL L., Obituary, 134
SIPPY powders: *see* Gastro-intestinal tract
SKIN: *see also* Pigment
—— endocrine control of melanin pigmentation in, 1463*
—— nevi; effect of MSH on, 1463*
—— nuclei; sexual differences in, 768†
—— pigmentation: *see* Addison's disease; Pigment
—— sex chromatin pattern of, in ovarian agenesis, 1270*
—— vitiligo; effect of MSH on melanin pigmentation; MSH metabolism in, 1463*, 1491*
SLEEP
—— associated with administration of progesterone, 1567*
—— EEG during, in hyperthyroidism, 1511*
SMEARS
—— blood: *see* Blood, cells
—— vaginal: *see* Climacteric; Estrogens; Menstruation; Ovary
SODIUM: *see also* Electrolytes
—— in true pituitary Addison's disease, 1519*
—— of serum, during pregnancy; relation to alveolar CO_2, 522*
—— of sweat; application to clinical study of adrenal function, 1126*
—— sodium chloride; effect in myxedema heart, 477*
—— sodium-retaining corticoid (electrocortin); studies of, 783†, 783†
—— sodium-retaining corticoid in urine, in hypoadrenalism or hypopituitarism, 1086*
—— sodium-retaining substances; excretion of, 784†
—— varied intake of, in rats; effect of DCA on BP during, 661*
SPECIES differences in response to thyronine derivatives, 1444*
SPECIFIC GRAVITY of body: *see* Methods
SPERMATOZOA: *see* Testis
SPIDER angiomata: *see* Vascular system
SQUALENE; reduction of response to gonadotropin in chicks injected with, 793†
STANDARDS; steroid reference substances (U.S.P.) available, 704
STEIN-LEVENTHAL syndrome: *see* Syndromes
STERILITY: *see also* Menstruation; Ovary; Pregnancy; Testis
—— American Society for Study of; 1954 convention, 596
—— classification of testicular disorders (Editorial), 1560*
—— treatment of: *see also* Questions & Answers
STEROIDS
—— androgens: *see also* Androgens
—— corticoids; corticosteroids: *see also* Adrenal preps. & comps.
—— cortisone: *see* Adrenal preps. & comps.
—— determination of: *see also* Methods
—— estrogens: *see* Estrogens
—— excretion of, in Cushing's syndrome, 775†
—— influence on uterine protein metabolism 797†
—— ketosteroids of urine, colorimetrically measured; androgenic activity per mg., in males & Females, 452*
—— neutral; *in vivo* metabolism of, 318*
—— neutral, of human urine; the corticosteroid fractions, 922*
—— "normalizing" steroids, 795†
—— progesterone: *see* Progesterone
—— steroid reference substances, U.S.P.; announcement of availability, 704

STEROIDS (*cont.*)
—— steroid-forming neoplasms, 809†
—— studies. II. Metabolism of androstan-17(β)-ol-3-one (stanolone), 472*
—— urinary excretion of; effect of ascorbic acid on, 744*
17-KETOSTEROIDS
—— and corticoid response to ACTH in various clinical conditions, 297*
—— and creatinine, in Cushing's syndrome, before & after op., 961*
—— and 17,21-dihydroxy-20-KS; effect of ascorbic acid on, 105*
—— and FSH in myxedema, 928*
—— as criterion for evolution of corticotropin & corticotropin zinc, 681*
—— chromatographic analysis of, as basis for classif'n of hirsutism in women, 776†
—— chromatographic patterns of excretion in men with reduced testicular activity, 766†
—— correlated with 17-OH-CS, blood sugar & eosinophils, in response to ACTH, 839*
—— during continuous i.v. infusion of small doses of ACTH, 440*
—— effect of quinidine on, 97*
—— effect of MSH on, 1463*
—— elevated in Cushing's syndrome; unchanged by hypophysectomy, 205*
—— excretion; correlation with rate of growth of axillary hair, 897*
—— excretion in adrenalect'd, orchiect'd men, 495*
—— excretion in male gynecomastia & hypogonadism resulting from estrogen-secreting adrenal tumor, 1097*
—— in adrenal hyperplasia; relation to menstruation, 810†
—— in adrenogenital syndrome; effect of ACTH & cortisone on, 409*
—— in boy with hypoparathyroidism & Addison's disease, 653*
—— in congenital adrenal hyperplasia treated with cortisone, 287*, 389*
—— in diagnosis of testicular disorders, 1560*
—— in hypothyroidism with incomplete growth; effect of ACTH & thyroxine on, 1551*
—— in myotonic dystrophy associated with myxedema & diabetes, 1437*
—— in pituitary insufficiency plus diabetes; effect of TSH, ACTH & cortisone on, 1046*
—— in progeria, 735*
—— in undiagnosed endocrinometabolic syndrome, 193*
STEROIDS (*cont.*)
17-KETOSTEROIDS (*cont.*)
—— of plasma; improved method for extraction & determination, 815†
—— response to ACTH in true pituitary Addison's disease, 1519*
—— tetrahydro compound S & estrogens in urine of women with metast. adrenocortical Ca, 676*
STILBESTROL: *see* Estrogens
STRESS: *see also* Surgery; Temperature
—— cold stress; metabolic relation of ascorbic acid, glutathione & cortisone in survival of mice during, 819†
—— effect on neutral steroids of urine, 922*
—— effect on serum hormonal I^{131}, 309*
—— experimental model illust'g results of exposure to pathogen (croton-oil), 997*
—— in study of permissive action of hormones, 122*, 1272*
—— infection: *see* Rheumatic fever
—— metabolic adjustments during; effect of i.v. glucose on pyruvate during compound F infusion, 791†
—— several types of; role of various steroids in effecting survival of adrenalect'd mouse after, 819†
—— stressful life experiences in man; 17-OH-CS excretion during, 805†
—— traumatic shock in rabbits; disapp. of progesterone from blood during, 645*
STRUMA LYMPHOMATOSA: *see* Thyroid disorders
SUBJECT INDEX to Volume 14, 1597
SUGAR: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Pancreas
SULFUR: *see* Glutathione; Mercapto comps.; Thiouracil and thio comps.; Radioactive, cystine & S
SUPPOSITORIES, vaginal, of progesterone; effectiveness of, 1564*
SUPRARENAL: *see* Adrenal
SURGERY: *see also* Stress; and under various endocrine disorders
—— (of thyroid)—of boiling oil & barbers' chairs, 1385*
—— surgical and allied conditions; cortical & medullary adrenal activity in, 608*
—— surgical importance of recurrent laryngeal nerves; revised anatomy of, 87*
SWEAT; electrolyte content of; control of variable influences on, & their application to clinical study of adrenal function, 1126*
SYMPOSIA: *see* Amer. Geriatrics Society; Henry Ford Hospital

SYNDROMES
—— adrenogenital: *see* Adrenal disorders
—— characterized by galactorrhea, amenorrhea & low urinary FSH; comparison with acromegaly & normal lactation, 265*
—— Cushing's: *see* Cushing's syndrome
—— endocrinometabolic, undiagnosed; report of 2 cases, 193*
—— Klinefelter's; elastic fibers of testis in, 626*
—— Klinefelter's; endocrine glands in (autopsy), 719*
—— menopausal: *see* Climacteric
—— nephrotic: *see* Kidney
—— prediabetic, 177*
—— Schmidt, 540*
—— Stein-Leventhal; amenorrhea due to polycystic ovaries (Teaching Clinic), 1247*
—— Stein-Leventhal: *see also* Ovary, polycystic
—— testicular; classification of, 1560*
—— Turner's; untreated until fifth decade of life, 794†
SYNOVIAL FLUID: *see* Joints; Tissues

TACE: *see* Estrogens
TAPAZOLE: *see* Mercapto comps.
TEACHING CLINICS, 118*, 248*, 344*, 477*, 579*, 685*, 747*, 961*, 1074*, 1247*, 1437*, 1551*
TEETH: *see* Tissues
TELLURIUM^{132}; a parent substance of I^{132}, 1530*
TEMPERATURE
—— basal body, during 4 menses following wedge resection for polycystic ovaries, 1247*
—— basal body, following use of progesterone vaginal suppositories, 1564*
—— cold: *see* Stress
—— dysthermia in hypothalamic disease, 13*
—— heat regulation; role of insulin in, 801†
—— heat regulation: *see also* Hypothalamus
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Prostate; Steroids
—— agonadal male; metabolism of stanolone in, 472*
—— altered sexual function & hypothalamic tumor, 1*, 13*
—— biopsies of, in case of gynecomastia, hypospermatogenesis & hypogonadism from long-standing estrogen-secreting adrenal tumor, 1097*
—— disorders; secondary to adrenal disease: *see also* Adrenal disorders
TESTIS (*cont.*)
—— disorders; secondary to hypopituitarism: *see also* Pituitary disorders
—— disorders: *see also* Questions & Answers
—— elastic fibers of; effect of puberty, estrogen & pathologic conditions on, 626*
—— genital abnormalities assoc'd with pineal lesions, 622*
—— gonadal status in progeria, 735*
—— gynecomastia, male: *see also* Breast
—— histochemical study of, at puberty, 818†
—— hypogenitalism; long-acting effects of testosterone isobutyrate and phenylacetate in, 800†
—— hypogonadism following brucellosis & mumps orchitis & other disorders; elastic fibers in tunica propria of testis in, 626*
—— hypogonadism; rate of growth of axillary hair, & 17-KS excretion in, 897*
—— hypogonadotropic eunuchoidism; testicular failure; normal testicular function; chor. gonadotropin of plasma in, 887*
—— in boy with congen. adrenal hyperplasia treated with cortisone, 389*
—— in Klinefelter's syndrome (autopsy), 719*
—— male chromosomal pattern of skin in "ovarian agenesis," 1270*
—— male rats; hormonally induced lactation in, 831†
—— men, aging; androgenic activity of ur. ketosteroids & fractions in, 139*, 766†
—— normal (newborn to adult) and pathologic; collagen fibers in, 798†
—— orchiect'd, adrenalect'd men; effect of adrenocortical steroids on androgen excretion of, 495*
—— orchiectomy & estrogen; atrophy of normal & malig. prostatic tissue following; role of ground substance in, 1113*
—— precocious puberty: *see* Puberty
—— preparations & compounds: *see* Androgens; Steroids; and Questions & Answers
—— pseudohermaphrodism: *see* Hermaphrodism
—— spermatogenic arrest; etiologic factors in, 799†
—— stimulation of, by gonadotropins: *see also* Gonadotropins
—— testicular and extra-testicular sources of KS in urine; index of, in normal & hypogonadal males, 452*
—— testicular development (biopsies) in

TESTIS (*cont.*)
congen. adrenal hyperplasia, before & after treatment with cortisone, 287*
—— testicular disorders; classification of (Editorial), 1560*
TESTS: *see also* Methods
—— ACTH test for adrenal function: *see* Pituitary preps. & comps., ACTH
—— for pregnancy: *see* Pregnancy
—— for thyroid function: *see also* Thyroid; Iodine, radioactive
—— insulin tolerance: *see* Insulin
—— simplified, sensitive, for thyroid function, using PBI^{131}, 1056*
—— sugar tolerance: *see* Carbohydrate metabolism
—— thyroid suppression test, for thyroid function, 1374*
TESTOSTERONE and compounds: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids
TETRAHYDRO COMPOUND S: *see* Adrenal preps. & comps.
THIOCYANATE: *see* Thiouracil & thio compounds
THIOURACIL & THIO COMPOUNDS: *see also* Antithyroid drugs; Mercapto compounds; Iodine; Thyroid
—— and iodothiouracil, compared with other antithyroid drugs, 1230*
—— 2-carbethoxythio-l-methyl-glyoxaline (Neo-mercazole); antithyroid activity & toxicity of, 1230*
—— hyperplasia alternating with KI involution, in production of thyroid tumors in rats, 1367*
—— in antigoitrogenic & calorigenic assay of thyroid compounds in rats, 56*
—— influence on thyroidal uptake of astatine in the rat, 1149*
—— iodothiouracil; mode of action, 232*
—— methyl- and propylthiouracil, and methimazole, plus roentgen irrad., in treatment of hyperthyroidism, 939*
—— propylthiouracil in large doses, in treatment of hyperthyroidism, 1403*
—— thiocyanate; effect on I^{131} retained in thyroid, 565*
—— thiocyanate; effect on intact thyroid, studied *in vitro*, 1219*
—— thiocyanate (sodium); effect of, on discharge of I^{131} from thyroid of low-iodine, calcium fed rats, 1412*
THOMPSON, WILLARD O., Obituary, 699
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— adenocarcinoma; myotonic dystrophy assoc'd with (Teaching Clinic), 1437*
THYROID (*cont.*)
DISORDERS (*cont.*)
—— cancer; invasive, papillary, 1362*
—— cancer; origin, characteristics & behavior of, 1309*, 1336*
—— cancer; study & treatment of, with radioiodine: *see also* Iodine, radioactive
—— carcinoma, anaplastic; evaluation of postop. results, 1355*
—— carcinoma; quant. measurements of I^{131} retention in, 1300*
—— diagnosis of; use of I^{132} in, 1530*
—— disease: *see also* Questions & Answers
—— excretion of TSH in, 770†
—— following thyroidectomy; diff. diagnosis of hypoparathyroidism, 579*
—— goiter and other changes in thyroid produced by iodothiouracil, in rats, 232*
—— goiter assoc'd with Klinefelter's syndrome (autopsy), 719*
—— Goiter Association, American: *see* Am. Goiter Association
—— goiter; calcium as a cause of; effect of low-iodine intake on, 1412*
—— goiter (familial) in cretins, 747*, 869*
—— goiter in Uruguay & Chile, 800†
—— Hashimoto thyroiditis; high incidence of, following I^{131} or x-ray irrad. of human hyperplastic thyroids, 1179*
—— nodular goiter & thyroiditis; relation to thyroid cancer, 1309*, 1336*
—— solitary nodule; diff. diagnosis of malignancy in, based on I^{131} uptake, 672*
—— struma lymphomatosa; clin. manifestations & response to therapy, 79*
—— thyroiditis (cat-scratch) treated with TSH, 742*
—— tumors; experimental production of, by alternating hyperplasia & involution, 1367*
Hyperthyroidism (exophthalmic goiter, Graves' disease, thyrotoxicosis, toxic adenoma)
—— antithyroid drugs in treatment of: *see also* Antithyroid drugs; Mercapto comps.; Thiouracil & thio comps.
—— changes in plasma mucoproteins in, 729*
—— diagnosis of; value of plasma thyroxine I^{131} for, 1062*

THYROID (*cont.*)
DISORDERS (*cont.*)
Hyperthyroidism (*cont.*)
—— diff. diagnosis, by use of suppressive effect of desicc. thyroid on I^{131} uptake, 1374*
—— dose of I^{131}; calc. of thyroid weight for, using empirical formulae, 326*, 1265*
—— effect of, on young fat-deficient male rats, 802†
—— electroencephalographic abnormalities in: I^{131} studies, 1511*
—— exophthalmos: *see also* Eyes
—— exophthalmos-producing substance in blood in, 1393*
—— Graves' disease and toxic adenoma; histologic effects of various types of ionizing radiation on thyroid glands in, 1179*
—— Graves' disease; pituitary-thyroid relationship in (Editorial), 1260*
—— iodine in treatment of: *see* Iodine
—— mercapto compounds (methimazole, Mercazole, Tapazole) in treatment of: *see* Mercapto compounds; Antithyroid drugs
—— of boiling oil and barbers' chairs, 1385*
—— potassium perchlorate in the treatment of, 70*
—— protein-bound iodine of serum in: *see* Iodine
—— radioactive iodine (I^{131}; I^{132}) in study & treatment of: *see* Iodine, radioactive
—— renal function & I^{131} clearance in, 1539*
—— simplified, sensitive test for diagnosis of, using PBI^{131}, 1056*
—— surgical importance of recurrent laryngeal nerves; revised anatomy of, based on dissect. of 100 cadavers, 87*
—— ten years' experience with I^{131}, 45*
—— therapy: *see also* Questions & Answers
—— thiouracil therapy: *see* Thiouracil & thio compounds
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— thyroid-stimulating or thyrotropic hormone (TSH) in: *see also* Pituitary preparations, TSH
—— thyrotoxic myxedema, localized, treated with cortisone & ACTH, 561*

THYROID (*cont.*)
DISORDERS (*cont.*)
Hyperthyroidism (*cont.*)
—— thyrotoxicosis; activity & toxicity of Mercazole & Neo-mercazole in, 1230*
—— toxic goiter; relation to thyroid cancer, 1309*
—— treated with antithyroid drugs plus roentgen irradiation, 939*
—— treated with I^{131}; impaired organic binding of, 565*
—— treated with large doses of propylthiouracil, 1403*
—— treated with methimazole; 4-year study, 802†, 948*
—— versus hyperpituitarism; effects of triiodothyronine & NaI, 768†
Hypothyroidism (*cretinism, myxedema*)
—— ACTH test in, 297*
—— as an inborn error of metabolism; report on 13 goitrous cases; radioiodine studies, 869*
—— assoc'd with Addison's disease (Schmidt syndrome) 540*
—— assoc'd with incomplete growth; effect of thyroid (Teaching Clinic), 1551*
—— case of pituitary myxedema (Teaching Clinic), 685*
—— changes in plasma mucoproteins in, 729*
— cretinism, with or without goiter, in 5 of 10 siblings (Teaching Clinic), 747*
—— diagnosis of; value of plasma thyroxine I^{131} for, 1062*
—— effect of estrogen on SPI in, 215*
—— effect of, on young fat-deficient male rats, 802†
—— equivocal; diagnosis, using TSH, 223*
—— extrathyroidal effects of TSH in, 1029*
—— following use of antithyroid drugs: *see* Antithyroid drugs; Mercapto comps.; Thiouracil
—— 17-KS and FSH excretion in; effect of thyroxine on, 928*
—— metabolic effects of TSH in, 769†
——myxedema; effect of TSH on I^{131} uptake in, 572*
—— myxedema heart (Teaching Clinic), 477*
—— myxedema, in case of pituitary insufficiency & diabetes, 1046*
—— myxedema in monkeys treated with astatine, 1161*
—— myxedema, localized, thyro-

THYROID (*cont.*)
DISORDERS (*cont.*)
Hypothyroidism (*cont.*)
toxic; cortisone & ACTH in treatment of, 561*
—— myxedema; myotonic dystrophy & diabetes assoc'd with (Teaching Clinic), 1437*
—— PBI of serum in: *see* Iodine
—— post-I^{131}; ten years' experience, 45*
—— primary myxedema; cortisone-resistant abnormality in diuretic response to ingested water in, 640*
—— primary myxedema with secondary adrenocortical failure, 554*
—— renal function & I^{131} clearance in, 1539*
—— therapy: *see also* Questions & Answers
—— thyroidal uptake of I^{131} in: *see* Iodine, radioactive
—— treatment of, with thyroid compounds: *see also* Thyroid, preps. & comps.
—— value of therapeutic trial with thyroid (Teaching Clinic), 118*
PHYSIOLOGY & PATHOLOGY
—— alternating hyperplasia & involution, to produce thyroid tumors in animals, 1367*
—— clinicopathologic studies: *see* Thyroid disorders
—— effect of astatine^{211} on, in rats & monkeys, 1161*
—— effect of insulin on structure of, in rats, 801†
—— effect of low-iodine diet, with & without calcium, on histologic structure of, studied by I^{131}, 1412*
—— estimation of thyroid weight by empirical formulae, 326*, 1265*
—— function (I^{131} uptake); relation to renal function, 1539*
—— function; influence of estrogen on, 215*
—— function; levels of integration of, in goitrogen-treated rats, 769†
—— function; method for increasing accuracy of I^{131} uptake as a test for, 1374*
—— function; simplified sensitivity test for, using PBI^{131}, 1056*
—— function; studies of: *see also* Iodine, radioactive; Pituitary preparations, TSH; Thiouracil
—— histologic types of cancer, 1309*, 1336*, 1355*, 1362*

THYROID (*cont.*)
PHYSIOLOGY & PATHOLOGY (*cont.*)
—— hormone: *see also* Thyroid preparations
—— intact thyroid gland; *in vitro* studies of, 1219*
—— normal; histologic effect of various types of ionizing radiation on, 1179*
—— PBI of serum: *see* Iodine
—— physiology; contribution of triiodothyronine to (Editorial), 690*
—— radioiodine in the study of: *see also* Iodine, radioactive
—— revised anatomy of recurr. laryngeal nerves; dissection of 100 cadavers, 87*
—— thyroid slices; metabolism of inorg. iodide in; new iodide compartment, 771†
—— thyroid-stimulating or thyrotropic hormone (TSH): *see also* Pituitary preparations (TSH)
—— thyroidal I^{131} clearance; diphasic character of, 773†
—— uptake and clearance rate of I^{132}, 1530*
—— uptake of astatine in the rat; influence of thiouracil on, 1149*
—— uptake of I^{131} and cell height, in patients with liver disease, 1287*
—— uptake of I^{131}; correl. with PBI & BMR, 45*
—— weight; calculation of, using empirical formulae, 326*, 1265*
PREPARATIONS & COMPOUNDS
—— desiccated thyroid in treatment of struma lymphomatosa, 79*
—— desiccated thyroid; use of, to increase accuracy of I^{131} uptake test for thyroid function, 1374*
—— hormonal iodine: *see also* Iodine
—— hormone: studies of, with radioiodine: *see also* Iodine, radioactive
—— hormone synthesis, intrinsically defective, in 13 cases of goitrous hypothyroidism, 869*
—— thyroglobulin, des. thyroid & *l*-thyroxine; antigoitrogenic & calorigenic assay of, by different routes of admin., in rats, 56*
—— thyroid medication; effect on response to TSH, 223*
—— thyroid medication, for stim'n of growth, 255*
—— thyroid substance; value of therapeutic trial with (Teaching Clinic), 118*
—— thyroid therapy; effect on diuresis in primary myxedema, 640*

THYROID (*cont.*)
PREPARATIONS & COMPOUNDS (*cont.*)
—— thyroid therapy in myxedema heart, 477*
—— thyronine derivatives; metabolic effect of compounds structurally related to thyroxine *in vivo* (Editorial), 1444*
—— thyroxine and des. thyroid; effect in case of hypothyroidism with incomplete growth (Teaching Clinic), 1551*
—— thyroxine and triiodothyronine; *in vivo* interconversion of, 772†
—— thyroxine- and TSH-treated rats; effect of cortisone on distrib. of I^{131} in, 822†
—— *l*-thyroxine as supplement in maintenance dosage of Mercazole & Neomercazole, 1230*
—— thyroxine (butanol-extractable) I^{131} of plasma, in diag. of thyroid disease, 1062*
—— thyroxine; effect on 17-KS & FSH in myxedema, 928*
—— thyroxine, I^{131}-labeled; metabolism of, by isolated perfused rabbit liver, 803†
—— thyroxine, thiocyanate or TSH; effect on intact thyroid gland, studied *in vitro*, 1219*
—— thyroxine-protein complex of serum, 772†
—— triiodothyronine and NaI; effect in Graves' disease, 768†
—— triiodothyronine and thyroxine; effect on electroshock seizure threshold in intact & adrenal'd rats, 803†
—— triiodothyronine and thyroxine, I^{131}-labeled; effect of metabolic alterations on subcellular distrib. of, 804†
—— triiodothyronine; contribution of, to thyroid physiology (Editorial), 690*
—— *l*-triiodothyronine; effect on renal function & I^{131} clearance, 1539*
—— triiodothyronine, thyroxine & TSH; effect on I^{131} retention in thyroid cancer, 1300*
THYROIDITIS: *see* Thyroid disorders
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preparations, TSH
THYRONINE: *see also* Thyroid preps. & comps.
—— derivatives (Editorial), 1444*
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preparations, TSH
THYROXINE: *see* Thyroid preps. & comps.
TISSUES: *see also* under specific organ involved
—— collagen fibers of normal & pathologic human testis, 798†
—— connective tissue; histochemical reaction of, after local admin. of adrenal steroids, 817†
—— dental structures of newborn rats; effect of cortisone on, 824†
—— distribution of I^{131} in, *see* Iodine, radioactive
—— elastic fibers of tunica propria of normal & path. human testes, 626*
—— granuloma-pouch technique (croton-oil) to illustrate diseases of adaptation, 997*
—— ground substance; role in atrophy of normal & malig. prostatic tissue, following estrogen & orchiectomy, 1113*
—— progesterone content of: *see* Progesterone
—— retromolar mucosa of rats; effect of hypophysectomy on cyclic mitotic activity of, 829†
—— synovial fluid and cells; concentration of intra-articularly injected adrenal preps. in, 711*
—— synovial fluid in rheum. arthritis; metabolites of hydrocortisone & cortisone in, 814†
—— various; role of, in metabolism of androgens, 767†
TOXIC ADENOMA; TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXIC REACTIONS: *see* Antithyroid drugs; Mercapto comps.; Thiouracil; Radioactive substances
TRAUMA: *see* Stress; Surgery
TRIIODOTHYRONINE: *see* Thyroid preps. & comps.
TSH: *see* Pituitary preps., TSH
TUMORS: *see also* Cancer; and under organ or form of treatment involved
—— adrenal: *see* Adrenal disorders; and Cushing's syndrome
—— function of, studied by radioiodine: *see* Iodine, radioactive
—— goiter: *see* Thyroid disorders
—— hypothalamic, 1*, 13*
—— metastatic, mammary, foll'g admin. of astatine in rats, 1161*
—— neoplasms, steroid-forming; studies of, 809†
—— neoplastic disease in man; effect of hypophysectomy in, 828†
—— pineal, 622*

TUMORS (*cont.*)
—— thyroidal; exper. production of, by alternating hyperplasia & involution, 1367*
—— thyroidal; transition from benign to malignant; discussion, 1309*, 1336*
TUNICA PROPRIA: *see* Testis; Tissues
TURNER'S SYNDROME: *see also* Ovary, disorders
—— untreated until the fifth decade of life, 794†

ULCER, peptic: *see* Gastro-intestinal tract
UNITED STATES PHARMACOPOEIAL Convention, Inc. (1950–1960); announcement of availability of steroid reference substances, 704
UNITROPISM; in true pituitary Addison's disease, 1519*
UPJOHN SCHOLAR: *see* Endocrine Society, awards
UPTAKE of I^{131} or I^{132}: *see* Iodine, radioactive; Thyroid, physiol. & path.
URIC ACID/CREATININE ratio: *see* Nitrogen
URINE: *see also* Kidney
—— adrenal metabolites: *see* Adrenal preps. & comps.; Steroids
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— chloride: *see* Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— corticosteroids (corticoids): *see* Adrenal preps. & comps.; Steroids
—— diuresis: *see* Kidney; Pituitary disorders, diabetes insipidus; Pituitary preps., vasopressin; Water
—— electrolytes: *see* Electrolytes
—— estrogens: *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— gonadotropins: *see* Gonadotropins; Pregnancy
—— in pregnancy: *see* Pregnancy; Pregnanediol; Gonadotropins
—— iodine compounds: *see* Iodine
—— 17-ketosteroids: *see* Steroids, 17-KS
—— melanocyte-stimulating hormone (MSH): *see* Pigment; Pituitary preps.
—— methods for determination of constituents: *see* Methods; Tests
—— nitrogen: *see* Nitrogen; Protein
—— phosphorus: *see* Phosphorus
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol: *see* Pregnanediol
—— radioactive compounds: *see* Radioactive
URINE (*cont.*)
—— radioactive iodine: *see* Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Steroids; Adrenal preps.; Androgens; Estrogens
—— sugar: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
URSACHE—"Was ist die Ursache?" 1569*
URUGUAY and Chile; goiter in, 800†
UTERUS & VAGINA: *see* also Ovary
—— cancer of; somnolent effect of progesterone in patients with, 1567*
—— cervix and vulva of the gilt; changes in, following treatment with relaxin, 798†
—— menstruation: *see* Menstruation; Climacteric
—— chorionic gonadotropin: *see also* Gonadotropins
—— pregnancy: *see* Pregnancy
—— uterine growth; interaction of estrogens on, 1134*
—— uterine protein metabolism; influence of steroids on, 797†
—— vaginal keratinization; studies of, with radiocystine, 797†
—— vaginal smear in amenorrhea; arborization & cytology following use of progesterone suppositories, 1564*
—— vaginal smear in true pituitary Addison's disease, 1519*
—— vaginal smears: *see also* Climacteric; Estrogens; Menstruation; Ovary
—— vaginal suppositories of progesterone; effectiveness of, 1564*

VAGINA: *see* Uterus & Vagina
VAN METER PRIZE: *see* American Goiter Association
VASCULAR SYSTEM: *see also* Blood; Heart
—— angiomata, spider; correl, with high I^{131} uptake, in liver disease, 1287*
—— blood pressure of rats; effect of DCA on, with varied intakes of K & Na, 661*
—— hemodynamics; effect of DCA on, in normal pregnancy, 109*
—— malignant diabetic vascular disease; effect of hypophysectomy on, 790†
—— vasomotor flushes: *see* Climacteric
VASOPRESSIN (Pitressin): *see* Pituitary preparations
VIRILISM: *see also* Puberty, precocious
—— adrenogenital syndrome: *see* Adrenal disorders
—— associated with adrenal disease: *see* Adrenal disorders; Cushing's syndrome

VIRILISM (*cont.*)
—— pseudohermaphrodism: *see* Hermaphrodism
VITAMINS
—— C; ascorbic acid and urinary steroid excretion, 744*
—— C; ascorbic acid content of adrenals: *see also* Adrenal physiology
—— C; ascorbic acid depleting activity, in potent steroidogenic ant. pituitary fraction, 808†
—— C; ascorbic acid; effect on hormonal excretion, 105*
—— C; ascorbic acid; effect on insulin-glucose tolerance and lactic-pyruvic acid ratio in obesity, 836†
—— C; ascorbic acid, glutathione & cortisone; role in survival of mice during cold stress, 819†
—— C; ascorbic acid of blood & urine in man; effect of ACTH & cortisone on, 1006*
—— C; ascorbic acid *vs.* cholesterol content of adrenals of malarial chicks, 822†
—— C; scorbutic g. pigs; interrels. of liver glycogen, corticosteroids & ascorbic acid in, 805†
—— D; effect of, in case of hypoparathyroidism & Addison's disease, 653†
—— D; lack of response to, in hypophosphatemic glycosuric osteomalacia, 365*
—— D; large doses; paradoxical relief of phosphate-losing osteomalacia by, in female dwarf, 785†
VITILIGO: *see* Pigment

WATER: *see also* Kidney; Pituitary disorders, diabetes insipidus; Pituitary preparations, vasopressin; Urine
—— and specific gravity of body, during admin. of TSH & thyroid, 1029*
—— excretion of; effect of growth hormone on, in intact and hypophysect'd rats, 835†, 835†, 835†
—— ingested; abnormal cortisone-resistant diuretic response to, in primary myxedema, 640*
WEIGHT
—— body: *see* Growth; Obesity; Pituitary preparations, growth hormone; and under various endocrine glands (disorders)
—— thyroid; empirical formulae for calculation of, 326*, 1265*

X-RAYS: *see* Roentgen rays

ZINC: *see* Pituitary preparations (ACTH), corticotropin-zinc